

Cable housing - KGS-PC 4/12 - 1837311

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable housing, Pitch: 0 mm, Number of positions: 12, Dimension a: 93.24 mm, Color: green

The illustration shows an 10-position version

Product Features

- Ergonomic cable housing for standard PC 4 plugs with screw connection
- KGG-PC 4 for cable diameters from 4 to 13.5 mm²
- KGS-PC 4 (angled cable outlet) for cable diameters from 6 to 16 mm²
- A cable clamp can be mounted back to front



Key commercial data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 10 pc |
| GTIN |  4 017918 052010 |
| Weight per Piece (excluding packing) | 41.5 GRM |
| Custom tariff number | 85369010 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|-------------|----------|
| Pitch | 0 mm |
| Dimension a | 93.24 mm |

General

| | |
|---------------------------|----------|
| Range of articles | KGS-PC 4 |
| Insulating material group | 0 |

Cable housing - KGS-PC 4/12 - 1837311

Technical data

General

| | |
|---|-----|
| Insulating material | ABS |
| Inflammability class according to UL 94 | HB |
| Number of positions | 12 |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260704 |
| eCl@ss 7.0 | 27440402 |
| eCl@ss 8.0 | 27440402 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000058 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000451 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211810 |
| UNSPSC 7.0901 | 39121409 |
| UNSPSC 11 | 39121409 |
| UNSPSC 12.01 | 39121409 |
| UNSPSC 13.2 | 39121409 |

Approvals

Approvals

Approvals

GOST

Ex Approvals

Cable housing - KGS-PC 4/12 - 1837311

Approvals

Approvals submitted

Approval details



Drawings

Dimensioned drawing

