206151-3 - ACTIVE

AMP | AMP CPC TE Internal #: 206151-3 Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Pin, Power & Signal, Black, AMP CPC

View on TE.com >

Connectors > Power Connectors > Circular Power > Circular Power Connectors > Circular Connector, Environmentally Sealed, CPC Series 6



Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Number of Positions: 37

Sealable: Yes

All Circular Connector, Environmentally Sealed, CPC Series 6 (19)



Features

Product Type Features

Connector Seal & Plug Type	Peripheral
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic
Configuration Features	
Reverse Numbering	Without
Number of Positions	37
Number of Power Positions	0
Number of Signal Positions	37

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Pin, Power & Signal, Black, AMP CPC



Electrical Characteristics

Operating Voltage	600 VAC	
Contact Features		
Reverse Gender	No	
Contact Type	Pin	
Contact Protection	With	
Mechanical Attachment		
Mating Alignment Type	Keyed	
Mating Alignment	With	
Panel Mount Feature Type	Flange with Mounting Holes	
Mating Retention Type	Threaded Coupling	
Thread Size	1-3/8 - 18 UNEF-2A	
Polarization Code	A	
Connector Mounting Type	Panel Mount	
Mating Retention	With	
Panel Mount Feature	With	

Housing Features

Body Orientation	Straight	
Housing Color	Black	
Housing Material	Thermoplastic	
Circular Connector Shell Size	23	
Usage Conditions		
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
Fluid Resistance	Immersion	
Operation/Application		
Circuit Application	Power & Signal	
Shielded	No	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	1	
Packaging Method	Standard	

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Pin, Power & Signal, Black, AMP CPC



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC		
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.		

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Pin, Power & Signal, Black, AMP CPC






Also in the Series AMP CPC



Circular Connector Adapters(7)	Circular Connector Caps & Covers(16)	Circular Connector Hardware(3)	Circular Connector Keying Plugs(2)
Circular Connector Seals(36)	Circular Power Connectors(459)	Connector Backshells(56)	Connector Strain Relief(6)




Customers Also Bought

& For support call+1 800 522 6752

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Pin, Power & Signal, Black, AMP CPC





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_206151-3_AG.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_206151-3_AG.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_206151-3_AG.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages AMP Circular Connectors for Commercial Signal & Power Applications

English

Product Specifications Application Specification

English

Product Environmental Compliance Product Compliance English

Product Compliance

English

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 37 Position, Sealable, Wire & Cable, Receptacle, Pin, Power & Signal, Black, AMP CPC



Agency Approvals UL Report

English