



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | |
|-----|------|--------------------------|-----------|-----|------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| 1 | | FIRST ISSUE | 17MAR2011 | PW | DH |
| 2 | | DIM A03, B08, C09 CHANGE | 21MAR2011 | PW | DH |
| A | | rev_desc_3 | 24JUN2011 | pw | dh |
| B | | OBSOLETE | 06DEC2017 | AL | WH |



NOTES:

- 1 PART NUMBER 2173070-1.
- 2 DRAWING REPRESENTS PART VERSION "VI".
- 3 PLATING:
 - 1,2µm MIN. NICKEL ALL OVER
 - 0,8µm MIN. GOLD ON CONTACT POINTS
 - 3,0µm MIN. TIN ON SOLDER AREA
- 4 SURFACE TEXTURE Ra 1,9µm (TOOL TEXTURE SPARK ERODED ACCORDING TO VDI 3400-24/27) COLOUR: BLACK (PANTONE 3U2X).
- 5 MARKING: MOLD CAVITY IDENTIFICATION.
- 6 MARKING: VERSION (VI), PROCESS ID (####), PRODUCTION DATE (YYMMDDX). MARKING NOT IN COSMETIC AREA.
- 7 MAXIMUM WARPAGE, INWARD ONLY.



| | | |
|-----------|--------------|-----------------|
| 2 CONTACT | COPPER ALLOY | GOLD PLATED |
| 1 HOUSING | PPA, 35% GF | |
| ITEM NO. | DESCRIPTION | MATERIAL FINISH |

| | | |
|--|-------|------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN P.Willems 17-MAR-11 |
| DIMENSIONS: mm | | CHK M.Gosselink 17-MAR-11 |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD D.Halberstadt 17-MAR-11 |
| 0 PLC | ±0,2 | PRODUCT SPEC 108-19276 |
| 1 PLC | ±0,1 | APPLICATION SPEC 114-19088 |
| 2 PLC | ±0,05 | WEIGHT 553 mg |
| 3 PLC | ± | CUSTOMER DRAWING |
| 4 PLC | ± | |
| ANGLES | ± | |
| FINISH | ± | |

| | | |
|--|--|--|
| TE Connectivity RECEPTACLE CONNECTOR 3 POSITION, BL-5J-1430 BATTERY BLOCK | | NAME SIZE CAGE CODE DRAWING NO RESTRICTED TO |
| SCALE 8:1 SHEET OF REV B1 | | |