#### 2906442

https://www.phoenixcontact.com/us/products/2906442

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in fuse (TE5<sup>®</sup>); nominal current: 3.15 A; tripping behavior: fast-blow (F)

### Commercial data

Item number	2906442
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	C421
Product key	CK21Z1
GTIN	4055626278810
Weight per piece (including packing)	4.5 g
Weight per piece (excluding packing)	4.5 g
Customs tariff number	85361010
Country of origin	РН

2906442

https://www.phoenixcontact.com/us/products/2906442



## Technical data

#### Notes

	General	For proper use, the specifications of the installation directive (see Downloads) must be observed.		
Product properties				
	Product type	Fuse		
	Number of fuses in the set	10		
Electrical properties				
	Tripping characteristic	fast-blow (F)		
	Rated voltage	250 V		
	Nominal current I <sub>N</sub>	3.15 A		
	Fuse	TE5		

2906442

https://www.phoenixcontact.com/us/products/2906442



### Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2906442

EAC Approval ID: RU C-DE.BL08.B.00724



https://www.phoenixcontact.com/us/products/2906442



### Classifications

#### ECLASS

ECLASS-12.0	27142008
ECLASS-11.0	27142008
ECLASS-13.0	27142008

#### ETIM

	ETIM 8.0	EC002298		
UNSPSC				
	UNSPSC 21.0	39121600		

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com