


Data sheet | Item number: 289-177

Interface module; RJ-45; with cross-over power jumper contacts; RJ-45;
Cat. 5; in mounting carrier

www.wago.com/289-177



Data

Electrical data

Operating voltage	≤35 VAC; ≤50 VDC
Nominal current	2.1 A
Insulation resistance	≥ 500 MΩ
Specialty functions	With power jumper contacts Crossover

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Safety and protection

Dielectric strength (contact/contact) (AC, 1 min)	1 kV _{rms}
---------------------------------------------------	---------------------

Connection data

Mating cycles	1,000
Transmission length (max.)	100 m
Connection cable	Cat. 5 (min.)

Connection 1

Connector	RJ-45 (shielded); with two additional power contacts
Pole number 1	10
Connection type 1	System

Connection 2

Connector 2	RJ-45 (shielded); with two additional power contacts
Pole number 2	10
Connection type 2	System

Physical data

Width	30 mm / 1.181 inches
Height	85 mm / 3.346 inches
Depth from upper-edge of DIN-rail	43 mm / 1.693 inches

Mechanical Data

Mounting type	DIN-35 rail
Housing design	Mounting carrier
Mating cycles	1,000

Material Data

Fire load	0.772 MJ
Weight	17.5 g

Environmental requirements

Ambient temperature (operation)	-40 ... +85 °C
---------------------------------	----------------

Subject to changes. Please also observe the further product documentation!



Ambient temperature (storage)	-40 ... +85 °C
Relative humidity	85% (non-condensing)

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	19-17-90-01
eCl@ss 9.0	19-17-90-01
ETIM 8.0	EC001121
ETIM 7.0	EC001121
PU (SPU)	15 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454326135
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Marking strip		
Item no.: 709-196 Marking strips; for laser printer; translucent		www.wago.com/709-196
Item no.: 709-178 Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; white		www.wago.com/709-178
Item no.: 709-177 Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; translucent		www.wago.com/709-177

Downloads

Documentation

Bid Text

289-177 X81 - Datei	2019 年2月19 日	xml 3.5 kB	Download
289-177 doc - Datei	2015 年2月9 日	doc 26.6 kB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Instruction Leaflet**pdf
1.3 MB Download**Additional Information**

Disposal and Recycling	V 1.1.0	pdf	Download
Electrical and electronic equipment, Batteries, Packaging	2022 年8月18 日	2.2 MB	

CAD/CAE-Data**CAE data**

EPLAN Data Portal 289-177 URL Download

ZUKEN Portal 289-177 URL Download

WSCAD Universe 289-177 URL Download

CAD data

2D/3D Models 289-177 URL Download

Environmental Product Compliance**Compliance Search**

Environmental Product Compliance 289-177	URL	Download
Interface module; RJ-45; with cross-over power jumper contacts; RJ-45; Cat. 5; in mounting carrier		

Installation Notes

Subject to changes. Please also observe the further product documentation!