

**Data sheet | Item number: 279-519**

End and intermediate plate; 2 mm thick; orange

[www.wago.com/279-519](http://www.wago.com/279-519)



**Data**

**Physical data**

Width	2 mm / 0.079 inches
Height	85 mm / 3.346 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	39 mm / 1.535 inches
-------	----------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.096 MJ
Weight	2 g

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332980043
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block

**Item no.: 279-501**

Double-deck terminal block; Through/through terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/279-501](http://www.wago.com/279-501)

**Item no.: 279-508**

Double-deck terminal block; 4-conductor through terminal block; L; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/279-508](http://www.wago.com/279-508)

**Item no.: 279-504**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Double-deck terminal block; Through/through terminal block; N/N; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; blue [www.wago.com/279-504](http://www.wago.com/279-504)

**Item no.: 279-513**

Double-deck terminal block; Through/through terminal block; L/N; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/279-513](http://www.wago.com/279-513)

**Item no.: 279-512**

Double-deck terminal block; Through/through terminal block; N/L; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; gray [www.wago.com/279-512](http://www.wago.com/279-512)

**Item no.: 279-509**

Double-deck terminal block; 4-conductor through terminal block; N; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; 1,50 mm<sup>2</sup>; blue [www.wago.com/279-509](http://www.wago.com/279-509)

## Ground terminal block

**Item no.: 279-517**

Double-deck terminal block; Ground conductor/through terminal block; 1.5 mm<sup>2</sup>; PE/N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/279-517](http://www.wago.com/279-517)

**Item no.: 279-507**

Double-deck terminal block; 4-conductor ground terminal block; 1.5 mm<sup>2</sup>; PE; without marker carrier; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm<sup>2</sup>; green-yellow [www.wago.com/279-507](http://www.wago.com/279-507)

**Item no.: 279-527**

Double-deck terminal block; Ground conductor/through terminal block; 1.5 mm<sup>2</sup>; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/279-527](http://www.wago.com/279-527)

**Downloads****Documentation****Bid Text**

279-519 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
279-519 doc - Datei	2017 年4月27 日	doc 24.1 kB	Download

**Additional Information**

pdf  
2.3 MB  
Download

**CAD/CAE-Data****CAD data**

2D/3D Models 279-519  
URL  
Download

**CAE data**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



EPLAN Data Portal 279-519	<a href="#">URL</a>	<a href="#">Download</a>
---------------------------	---------------------	--------------------------

---

WSCAD Universe 279-519	<a href="#">URL</a>	<a href="#">Download</a>
------------------------	---------------------	--------------------------

---

ZUKEN Portal 279-519	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 279-519 End and intermediate plate; 2 mm thick; orange	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!