


PART NUMBER SEE SHEET 2




Copyright FCI.

spec ref	*	dr	Vicking Liu	2015/12/23	projection	MM	size	A3	scale	3:2															
tolerance std	ASME Y14.5	eng	Vicking Liu	2016/01/28			ecn no	-	rel level	Released															
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2016/01/28							product family	PwrBlade+													
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	appr	Pei-Ming Zheng	2016/01/28			<table border="1"> <tr> <td>title</td> <td>4HP + 8S</td> </tr> <tr> <td>part no</td> <td>10106266-4002001</td> </tr> </table>	title	4HP + 8S	part no	10106266-4002001	rev	A
linear	0.X	±0.5																							
	0.XX	±0.25																							
	0.XXX	±0.10																							
angular	0°	±2°																							
title	4HP + 8S																								
part no	10106266-4002001																								
ASME Y14.5		www.fci.com	cat. no.	Product - Customer Drw		sheet 1 of 3																			

PRODUCT NO. 10106266-4002001LF	ROWS DCBA	HIGH POWER				S		E2
		E1	P1	P2	P3	P4	1	

CODE	DESCRIPTION
E	STD SIGNAL CONTACT
HI	STD HIGH POWER CONTACT
HA	METAL HOLD DOWN



dr	Vicking Liu	2015/12/23	projection MM	size	A3	scale	3:2
eng	Vicking Liu	2016/01/28		product family	ecn no	-	rel level
chr	Fancy Zhang	2016/01/28	PwrBlade+				
appr	Pei-Ming Zheng	2016/01/28					
www.fci.com		cat. no.	4HP + 8S VERTICAL STB HEADER		dwg no	10106266-4002001	
			Product - Customer Drw		rev	A	
			sheet 2 of 3				

Copyright FCI.

A

B

C

D

A

B

C




D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



Copyright FCI.

dr	Vicking Liu	2015/12/23	projection 	MM 	size	A3	scale	3:2
eng	Vicking Liu	2016/01/28			ecn no	-		
chr	Fancy Zhang	2016/01/28			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2016/01/28						
		title 4HP + 8S VERTICAL STB HEADER		dwg no 10106266-4002001	rev A			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			