1	2	3	4	5		T
		The second secon	MATERIAI MATERIAI INSULATC FLAMABIL COLOR: C COLOR: C CONTACT CONTAC	DR: PA 66 LITY RATING: UL94-V0 GREEN I MATERIAL: COPPER ALLOY I PLATING: TIN TYPE: STAMPED MENTAL NG TEMPERATURE: -40 UP TO 115°C NCE: LEAD FREE AND ROHS CAL CAL CAL CULUS I RATING: 8A G VOLTAGE: 300VAC NDING VOLTAGE: 1.6KV I RESISTANCE: 20 mOhm max RD RTIFIED E315414 81 MM NG EAD FREE WAVE SOLDERING PROCESS NG		
RoHS Compliant G	PROJECTION:	GENERAL TOLERANCE	·			_
F E D		$X = \frac{1}{2} / 0.2$				\vdash
C B	APPROVAL: FBr	UNIT: MM SCALE:		31 MM REVERSED PCB HORIZONTAL	SIZE	
A 11-JUN-15 PDF REV DATE FILE	AK BY	SCALE: SHEET: 1/2 DRAW: AK	WERI PART NO: 691 309 310 0x	x	A 4	

1	2	3	4	5	-
					_

А

В

С

Cautions and Warnings:

This electronic component is designed and developed with the intention for use

in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

R	toHS Compliant							
G				PROJECTION:	GENERAL TOLERANCE			1
F					.X = ⁺ /_ 0.2			
E					.XX = ⁺ /_ 0.15			
D						WÜRTH ELEKTRONĬK		
С				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE	Ъ
В					SCALE:			Р
A	10-SEP-14	PDF	QL		SHEET: 2/2	WERI PART NO: DISCLAIMER	A4	
REV	DATE	FILE	BY		DRAW: QL			