

4

3

2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
© COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	A	RELEASE PER ECR-15-000195	09JAN15	SW	RZ		

PART NUMBER  
2064874-1

NOTES:

1. MAXIMUM INSERTION LOSS IS 0.5 dB AT 850 & 1300nm.
2. MINIMUM RETURN LOSS: 20dB AT 850 & 1300nm
3. INCLUDE IL & RL TEST DATA WITH EACH LOOPBACK
4. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE STANDARD TEC-138-702.



2064874

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SIMON WU 16OCT12	<b>STE</b> TE Connectivity	
		CHK KIM ZHANG 16OCT12		
		APVD RICHARD ZHAO 16OCT12	NAME CABLE ASSY, FIBER OPTIC, MM 50/125 LC DUPLEX LOOPBACK	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		RESTRICTED TO
		0 PLC ± -		SIZE
		1 PLC ± -		CAGE CODE
		2 PLC ± -		DRAWING NO
		3 PLC ± -		00779
		4 PLC ± -		SCALE
		ANGLES ± -		NTS
MATERIAL		FINISH		SHEET
				1 OF 1
				REV
				A