


Generation Y Connector System

TE Internal #: 2098067-4 Housing for Female Terminals, Wire-to-Device / Wire-to-Board, 26 Position, Generation Y Connector System View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Board, Wire-to-Device

Number of Positions: 26

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 2.54 mm, 4.6 mm [.1 in, .181 in]

Sealable: No

Features

Product Type Features

Hybrid Connector	Yes	
Connector Shape	Rectangular	
Connector System	Wire-to-Board, Wire-to-Device	
Connector & Housing Type	Housing for Female Terminals	
Sealable	No	
Primary Locking Feature	Integrated in Housing	
Configuration Features		
Blank Cavity Position	10, 11, 8, 9	
Number of Positions	26	
Number of Rows	5	
Body Features		
Cable Exit Angle	180°	
Primary Product Color	Brown	
Connector & Keying Code	U2	

Housing for Female Terminals, Wire-to-Device / Wire-to-Board, 26 Position, Generation Y Connector System



Contact Features

Contact Size	.64mm, 2.8mm
Contact Type	Receptacle
Mating Tab Width	.64 mm, 2.8 mm[.025 in][.11 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2.54 mm, 4.6 mm[.1 in][.181 in]
Dimensions	
Connector Height	31.3 mm[1.232 in]
Product Width	20.3 mm[.799 in]
Product Length	25.2 mm[.992 in]
Row-to-Row Spacing	6 mm[.236 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C[158 °F][167 °F] [176 °F][185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Agency/Standard	GMW191
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Housing for Female Terminals, Wire-to-Device / Wire-to-Board, 26 Position, Generation Y Connector System



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Generation Y Connector System

Housing for Female Terminals, Wire-to-Device / Wire-to-Board, 26 Position, Generation Y Connector System







PCB Headers & Receptacles(15)

Customers Also Bought



TE Part #1612275-3 TH/.025 CONNECTOR SYSTEM, HOUSING	TE Part #1612290-1 TH/.025 CONNECTOR SYSTEM, RECPT AND TAB	TE Part #2098067-2 Plug Assembly, Hybrid, BCM, IP2, B Key	TE Part #2098067-7 Plug Assembly, Hybrid, BCM, CL, G Key
-ETE	THE TE		
TE Part #2098067-5 Plug Assembly, Hybrid, BCM, B1, E Key	TE Part #1674936-5 0.64 III RCPT NON SEALED TIN (S)	TE Part #2040009-1 0.50/1.0 SEALED WIRE COVER ASSY 60POS	

Documents

Product Drawings Plug Assembly, Hybrid, BCM, U2, D Key English Plug Assembly, Hybrid, BCM, U2, D Key English CAD Files 3D PDF

Housing for Female Terminals, Wire-to-Device / Wire-to-Board, 26 Position, Generation Y Connector System



3D

Customer View Model ENG_CVM_CVM_2098067-4_D_c-2098067-4-d.2d_dxf.zip English Customer View Model ENG_CVM_CVM_2098067-4_D_c-2098067-4-d.3d_igs.zip English Customer View Model ENG_CVM_CVM_2098067-4_D_c-2098067-4-d.3d_stp.zip English

Instruction Sheets Instruction Sheet (U.S.)

English