

Specifications

Compatible Products

Ordering and Compliance

Ordering and spec information

Intel® BD3450 Platform Controller Hub

Spec Code	SLGZY
Ordering Code	BD3450
Step	В3
RCP	\$44.00

Trade compliance information

ECCN 5A992CN3

CCATS G071701

US HTS 8542310001

PCN/MDDS Information

SLGZY

904133 PCN | MDDS

Downloads and Software

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

WARNING: Altering clock frequency and/or voltage may: (i) reduce system stability and useful life of the system and processor; (ii) cause the processor and other system components to fail; (iii) cause reductions in system performance; (iv) cause additional heat or other damage; and (v) affect system data integrity. Intel has not tested, and does not warranty, the operation of the processor beyond its specifications. Intel assumes no responsibility that the processor, including if used with altered clock frequencies and/or voltages, will be fit for any particular purpose. For more information, visit

http://www.intel.com/content/www/us/en/gaming/overclocking/overclocking-intel-processors.html



Add to Compare



Specifications
Essentials
Supplemental Information

Expansion Options Package Specification Advanced Technologies Security & Reliability

Ordering and Compliance

Compatible Products

Essentials		(i) Export specifications
Product Collection	Intel® 3000 Series Chipsets	
Code Name	Products formerly Ibex Peak	
Status	Launched	
Launch Date 👔	Q1'10	
Lithography 📳	65 nm	
TDP 🕝	5.9 W	
Recommended Customer Price 🝸	\$44.00	
Use Conditions 👔	Server/Enterprise	
Supplemental Information		
Embedded Options Available	Yes	
Datasheet	View now	
Processor Graphics		
Integrated Graphics ‡	No	
Graphics Output 👔	VGA, Display Port, DVI, HDMI	
# of Displays Supported ‡	2	
Expansion Options		
PCI Support 👔	4 Devices	
PCI Express Revision 📳	2.0 (2.5 GT/s)	
Max # of PCI Express Lanes	8	
I/O Specifications		
# of USB Ports	14	
USB Revision 👔	2.0	
USB 2.0	14	
Total # of SATA Ports	6	
Integrated LAN 📳	Gbe MAC	
Package Specifications		
Max CPU Configuration	1	
T _{CASE} T	111°C	
Package Size	27mm x 27mm	
Low Halogen Options Available	See MDDS	
Advanced Technologies		
Intel® Virtualization Technology for Directed I/O (VT-d)	Yes	
Intel® vPro™ Technology ‡ 📳	No	
Intel® ME Firmware Version 📳	6.0	
Intel® Remote PC Assist Technology	Yes	
Intel® Quick Resume Technology	Yes	
Intel® Quiet System Technology 👔	Yes	
Intel® HD Audio Technology Intel® AC97 Technology Intel® AC97 Technology	Yes	
Intel® AC97 Technology Intel® Matrix Storage Technology	Yes	
nner mand storage reciniology		
Security & Reliability		
Intel® Trusted Execution Technology [‡]	Yes	
Anti-Theft Technology 📳	Yes	

More support options for Intel® 3450 Chipset

Product Support

1 Downloads and Software Support Community









All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, with notice. The information herein is provided "sei-if" and intel does not make any representations or warrantees whatsoewer regarding accuracy of the information, nor on the product feats wailabilify, inclinationally, or compatibility of the products intelled Please contact systems vender for more information on specific products or systems. Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECN) and Harmonized Tail of Schodule (F1S) numbers. Any use made of Intel classifications are without recours to Intel and shall not be construed as a representation or warranty regarding the proper ECN or HTS. Your company as an importer and/or exporter is responsible for determining the correct Classification or your transactions.

Refer to Datasheet for forr

The factor may not be realable or all computing prisons. Please thick with the system would be determined from system deliver this feature, or reference the system specifications informationary present cybest power specifications, which is the prison of the prisons of the system of

Low Haloger: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet. 15-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

ARANING: Altering clock frequency and/or voltage may; (i) reduce system stability and useful life of the system and processor; (ii) cause the processor and other system components to fail (i) cause reductions in system performance; (v) cause additional heat or other dramage; and (v) affect system data insights; hint has not tested, and does not awaring; the operation of the recessor beyond its specifications; third issuance no responsibility but the processor, including its send with aftered clock frequencies and/or voltages, with low fifty any aparticular purposes.



Company Information Our Commitment Communities Ir



