



NOTES:

- 1- MATERIAL:
 HOUSING: POLYCARBONATE CLEAR.
 TERMINAL: 0.38 THICK PHOSPHOR BRONZE.
 PLATING: 1.27 MIN. GOLD IN CONTACT AREA
 0.00127 MIN. PURE TIN IN PIERCE AREA BOTH
 OVER 0.00127 MIN. NICKEL.
- 2- PRODUCT INTENDED TO TERMINATE FLAT OVAL CABLE
 HAVING
 0.94 ϕ MAXI OVER CONDUCTORS INSULATION.
- 3- PRODUCT SPECIFICATION: PS-90075
- 4- APPLICATION SPECIFICATION: AS-90075.

CKTS	NUMBER OF LOADED CONTACTS	LOOSE PIECE	
		PART NUMBER	TOOLED
8	8	90075-0141	YES

REMOVED PART 'S EC NO: E2012-0005 DRWN: JOCONNOR 2011/08/16 CHKD: APPR: STGRIFFIN 2013/01/18 REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0 □=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .014 1 PLACE ± 0.35 ± --- ANGULAR ± 2 °	MM/IN	5:1	METRIC	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: FB DATE: CHECKED BY: TB DATE: APPROVED BY: JB DATE: MATERIAL NO. DOCUMENT NO.	TITLE 8 POSITIONS MODULAR PLUG W.E. TYPE		
			SEE CHART SIZE: A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	MOLEX INCORPORATED SDA-90075		SHEET NO. 1 OF 2