



## Main

Range	MD
Product	Motor Disconnect Switch
Current Rating	30 A
Horsepower Rating	7.5 Hp 220/240 V AC 20 Hp 440/480 V AC 25 hp 600 V AC
Enclosure Rating	NEMA 4X
Certifications	UL Listed

## Complementary

Height	6.38 in (162.05 mm)
Width	3.90 in (99.06 mm)
Depth	4.37 in (111.00 mm)
Product Weight	1.50 lb(US) (0.68 kg)

## Ordering and shipping details

Category	21734-TESYS VLS DISCONNECT SWITCHES
Discount Schedule	CP1
GTIN	3606480190223
Nbr. of units in pkg.	1
Package weight(Lbs)	23.49 oz (666.0 g)
Returnability	Yes
Country of origin	TN

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	4.92 in (12.5 cm)
Package 1 width	5.20 in (13.2 cm)
Package 1 Length	7.17 in (18.2 cm)
Unit Type of Package 2	S04
Number of Units in Package 2	18
Package 2 Weight	29.19 lb(US) (13.24 kg)
Package 2 Height	11.81 in (30 cm)
Package 2 width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)
Unit Type of Package 3	P06
Number of Units in Package 3	72
Package 3 Weight	135.50 lb(US) (61.46 kg)
Package 3 Height	30.31 in (77 cm)
Package 3 width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Formaldehyde (gas), which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions

