





PRODUCT NUMBER

10129380 - X YY XXX X LF

- LEAD FREE OPTION (SEE NOTES 7)
- PACKAGING OPTIONS (SEE NOTE 3)
- INDICATES DIFFERENT MATING LENGTH TAIL LENGTH AND OTHER OPTIONS (SEE TABLE IN SHEET 2)
- NO OF POSITIONS (SEE NOTE 2)
- PIN PLATING (SEE SHEET 2)
- BASE PART NO.



$.190 \pm 0.012 [4.83 \pm 0.30]$   
(OVERALL WIDTH)



RECOMMENDED PAD LAYOUT

mat'l. code		SEE NOTE 1		surface		tolerance		projection		product family	
ISO 1302		ISO 406		ISO 1101		tolerances unless otherwise specified		INCH/mm		ECONOSTIK	
ltr	ecn	no	dr	date	angles	linear	xxxx±0.01/xx±0.3	scale 1:1		title ECONOSTIK HEADER .100/2.54cc SR SMT	
A	NEW	ZK	04/23/14				xxxx±0.008/xx±0.20				
B	ELX-N-18529	ZK	08/14/14				xxxx±0.0040/xxxx±0.100				
C	ELX-N-45076	MK	06/23/22		X'±2'			dwg no		sheet 1 of 2	size
sheet index		revision	C	C	dr	ZK HU	04/23/14	10129380		A4	
		sheet	1	2	enr	MK Xuan	06/23/22	Product		Customer Drawing	
					chr	LQ Lei	06/23/22	type			
					appd	TIM Yao	06/23/22				

AFCI CONFIDENTIAL

Amphenol  
FCi

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of AFCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of Amphenol Corporation.  
© 2020 Amphenol Corporation

PRODUCT NUMBER	MATING LENGTH		PIN PLATING CODES:	
	DIM H	DIM H	10129380-9YYXXXLF	GOLD FLASH PLATING OVER 50u"/1.27u MIN Ni
	ENGLISH	METRIC		
10129380-XYY001XLF	0.230	5.84		
10129380-XYY002XLF	0.318	8.08		
10129380-XYY003XLF	0.531	13.50		
10129380-XYY004XLF	0.273	6.94		

NOTES:

- MATERIAL  
BODAY MATERIAL: HIGH TEMPERATURE THERMOPLASTIC.  
FLAME UL94-V0, BLACK.  
PIN MATERIAL: COPPER ALLOY.
- ANY NUMBER OF POSITIONS N FROM 2 TO 20.  
PRODUCT MAYBE CUTTING TO POSITION,  
THE CUTTING PLASH IS 0.02[0.51] MAX.
- PACKING STYLE DEFINITION.  
B: PACKED WITH POLY BAG  
T: PACKED WITH TUBE  
A: PACKED WITH TAPE AND REEL WITH PICK UP CAP  
C: PACKED WITH TAPE AND REEL WITHOUT PICK UP CAP
- TWO SIDES OF PIN TIPS NOT PLATED, TYPICAL BOTH ENDS.
- 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION BEFORE REFLOW.
- THE OAL DON'T EXCEED 1 INCH / 25.4MM.
- ADD LF AT THE END OF PART NUMBER IS FOR LEAD FREE.
- THESE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
- THE PRODUCT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- PRODUCT SPECIFICATION: GS-12-1223.

mat'l. code SEE NOTE 1		surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family ECONOSTIK
ltr	ecn	no	dr	date	title
C					ECONOSTIK HEADER .100/2.54cc SR SMT
					INCH/mm
					scale 1:1
					dwg no
					sheet 1 of 2
					size A4
					10129380
					type Product Customer Drawing
sheet index	revision sheet				