

2-745492-0 ✓ ACTIVE

AMPLIMITE | AMPLIMITE HDE

TE Internal #: 2-745492-0

IDC D-Sub Connectors, Plug, 26 – 22 AWG Solid Wire Size, Wire-to-Wire, 9 Position, 2.77 mm [.054 in] Centerline, 2 Row, AMPLIMITE HDE

[View on TE.com >](#)



Connectors > D-Shaped Connectors > D-Sub Connectors > IDC D-Sub Connectors > IDC D-Sub: Plug Assembly, Wire to Wire, Signal, 2.77 mm

Connector & Housing Type: **Plug**

Solid Wire Size: **26 – 22 AWG**

Shielded: **No**

Connector System: **Wire-to-Wire**

Number of Positions: **9**

[All IDC D-Sub: Plug Assembly, Wire to Wire, Signal, 2.77 mm \(21\)](#)

Features

Product Type Features

Shell Material Configuration	Full Metal Shell
Ground Feature Type	Grounding Indents
Connector & Housing Type	Plug
Connector System	Wire-to-Wire
Connector Product Type	Connector Assembly
Connector Shell Size	1
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	9
Number of Rows	2
Compatible With Wire & Cable Type	Discrete Wire, Round Jacketed Cable

Body Features

Insert Material	Thermoplastic
Cable Exit Angle	180°
Shell Plating Material	Tin

Contact Features

Contact Type	Pin
Wire Contact Termination Area Plating Material Finish	Matte

	30 µin
Contact Size	Size 20
Contact Current Rating (Max)	2.4 A

Mechanical Attachment

Mating Retention	With
Mating Retention Type	Mounting Holes
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Shell Material	Steel
Centerline (Pitch)	2.77 mm [.054 in]

Dimensions

Solid Wire Size	26 – 22 AWG
Wire Size	.15 – .4 mm ²

Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Shielded	No
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	140
Packaging Method	Package

Other

D-Shaped Connectors Comment	HDE connectors are designed for terminating solid or stranded (7-strand max.) wire.
-----------------------------	---

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-023-DRARS1274 D-Sub Receptacle Assembly: Right Angle, Shell Size 1, 2.74mm	TE Part # CAT-025-DRAVS1274 D-Sub Receptacle Assembly: Vertical, Shell Size 1, 2.74mm	TE Part # 1-745491-8 09 HDE MS RCPT,22-26,LEAD FREE	TE Part # 1-747943-7 KIT,RCPT,9P,HDE,SHLD ENCLSRE
TE Part # 747516-9 KIT,RCPT,9P,HDE,SHLD HDWRE	TE Part # 58074-1 MTA 50/100/156 MANUAL TOOL FRAME	TE Part # 5748677-1 PLTD PLST CBL CLMP KIT,SZ 1	TE Part # 5745171-5 AMPL CBL CLMP KIT SZ 1



TE Part # 5-747905-2
9 Rcpt Solder Cup, Gold Flash,

TE Part # 5748676-1
DIE CAST CBL CLMP KIT,SZ 1

TE Part # 2198617-9
Ni Plated Plastic Backshell, 9 Way, Str

TE Part # 5745854-1
CABLE CLAMP KIT,SZ 1

TE Part # 1393738-2
V42254A6000G115=SUB D GEHAEUSE

TE Part # 3-1393483-8
V42254A1115B209=SUB D FEDERLEI

TE Part # 5745183-2
09 RCPT SP/MS STD

TE Part # 5745854-5
CABLE CLAMP KIT,SZ 1

TE Part # 5745854-3
CABLE CLAMP KIT,SZ 1

TE Part # 205866-1
09 RCPT RA/MS STD

TE Part # 608868-1
HDE HT PKG FOR SUB D

Also in the Series | AMPLIMITE HDE

Crimp D-Sub Connectors(1)

D-Sub Connector Contacts(13)

IDC D-Sub Connectors(75)

Insertion & Extraction Tools(2)






Customers Also Bought

TE Part #3-6609128-5
6VM4S=F8103

TE Part #1-745491-7
09 HDE MS RCPT,22-26,LEAD FREE

TE Part #229975-1
ASSY,RCPT,50POS,B SLOT,BLK HSG

TE Part #3-643813-9
09P MTA100 CONN ASSY POL RIB



Documents

Product Drawings

[PLUG ASSY,9P,HDE,MS](#)

English

CAD Files

Customer View Model

[ENG_CVM_2-745492-0_R.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_2-745492-0_R.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_2-745492-0_R.3d_stp.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)

English

[AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG](#)

English

Product Specifications

[Application Specification](#)

English



Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English