


適合ターミナル  
ACCEPT TERMINAL  
5194\*,5225\*



サーキットNO.  
CIRCUIT NO.      ENG. NO.      トレードマーク  
TRADE MARK

キャビティNO.  
CAVITY NO.

注記  
NOTES

- 各部の反りは0.5最大。  
WARPING : 0.5 MAX.
- サーキットNO.はNO."1"のみ表示。  
CIRCUIT NO. : 1 ONLY.

9.06	3.96	39-01-1025	5195-023	2
B	A	EDP NO.	MATERIAL NO.	極数 NO. OF CKTS.
			MODEL NO.	5195-N3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBER					
mm		4:1		<b>molex</b> SPOX 3.96 PITCH RECEPTACLE HOUSING PRODUCT CUSTOMER DRAWING EC NO: 652023 DRWN: SKANDB 2020/12/04 CHK'D: GGA 2020/12/30 APPR: GGA 2020/12/30 INITIAL REVISION: DRWN: T.ASAKAWA 1995/05/09 APPR: M.FUKUSHIMA 1995/05/09 DOCUMENT NUMBER: SD-5195-002 DOC TYPE: PSD DOC PART: 001 REVISION: H1 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 1 OF 1					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM	INCH						
4 PLACES	±								
3 PLACES	±								
2 PLACES	±								
1 PLACE	±								
0 PLACES	±								
ANGULAR TOL ± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
		A3-SIZE		5195		SEE TABLE		GENERAL MARKET	

GENERAL TOLERANCES (UNLESS SPECIFIED)		
10 <sup>UNDER</sup>		±0.2
10 <sup>OVER</sup>	30 <sup>UNDER</sup>	±0.25
30 <sup>OVER</sup>		±0.3

材料  
MATERIAL  
ナイロン66, UL94V-0  
NYLON66, UL94V-0