

# Product data sheet

Specifications



## Limit switch head, Limit switches XC Standard, ZCKD, thermoplastic roller lever

ZCKD15

### Main

<b>Range of product</b>	Telemecanique Limit switches XC Standard
<b>Series name</b>	Standard format
<b>Product or component type</b>	Limit switch head
<b>Device short name</b>	ZCKD
<b>Head type</b>	Rotary head
<b>Product compatibility</b>	XCKL XCKM
<b>Associated body</b>	ZCKMD39 ZCKL1 ZCKLD31H7 ZCKLD35H7 ZCKMD35 ZCKM1H7 ZCKM5 ZCKM1H29 ZCKLD39H7 ZCKM8H29 ZCKL5 ZCKM1 ZCKM8H7 ZCKLD37H7 ZCKL7H7 ZCKM6H29 ZCKM9H29 ZCKM5H29 ZCKMD35H7 ZCKM8 ZCKMD37H7 ZCKL7 ZCKLD39 ZCKMD37 ZCKL8 ZCKMD31 ZCKLD31 ZCKL1H7 ZCKMD35H29 ZCKM7 ZCKM6H7 ZCKM6 ZCKL5H7 ZCKM9 ZCKL6 ZCKL6H7 ZCKM7H29 ZCKM5H7 ZCKMD31H7 ZCKM7H7 ZCKMD31H29 ZCKLD37 ZCKMD39H29 ZCKL8H7 ZCKMD39H7 ZCKMD37H29 ZCKLD35

<b>Movement of operating head</b>	Rotary
<b>Type of operator</b>	Roller lever spring return thermoplastic
<b>Type of approach</b>	Lateral approach, 2 directions

## Complementary

<b>Switch actuation</b>	By 30° cam
<b>Positive opening</b>	With
<b>Head material</b>	Metal

## Environment

<b>Ambient air temperature for operation</b>	-25...70 °C
<b>Ambient air temperature for storage</b>	-40...70 °C
<b>Environmental characteristic</b>	Standard environment

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	3.400 cm
<b>Package 1 Width</b>	6.200 cm
<b>Package 1 Length</b>	7.800 cm
<b>Package 1 Weight</b>	90.000 g
<b>Unit Type of Package 2</b>	S01
<b>Number of Units in Package 2</b>	28
<b>Package 2 Height</b>	15.000 cm
<b>Package 2 Width</b>	15.000 cm
<b>Package 2 Length</b>	40.000 cm
<b>Package 2 Weight</b>	2.800 kg
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	896
<b>Package 3 Height</b>	77.000 cm
<b>Package 3 Width</b>	80.000 cm
<b>Package 3 Length</b>	60.000 cm
<b>Package 3 Weight</b>	95.444 kg

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>California proposition 65</b>	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known

## Contractual warranty

---

Warranty 18 months

## Recommended replacement(s)