





REVISIONS			
REV	DESCRIPTION, ECN, EAR NO.	DATE	APP'D
A	PROPOSAL	MAY22/19	L.CHAN



**MATERIALS:**  
 PLASTIC HOUSING: HIGH TEMPERATURE THERMOPLASTIC  
 FLAMMABILITY RATING UL 94V-0, COLOR BLACK

**CONTACTS:** PHOSPHOR BRONZE  
 PLATING: GOLD PLATING ON MATING SURFACE.  
 [SEE PART NUMBER FOR THICKNESS]  
 50 μ" [1.27 MICRONS]  
 MIN. NICKEL UNDERPLATE  
 100 μ" [2.54 MICRONS]  
 MIN. MATTE TIN ON CONTACT TAILS.

**PART NUMBER:** RJHSE-X080

**GOLD PLATING**  
 E=RJ45 FLAT CONTACT 6u"  
 G=RJ45 FLAT CONTACT 15u"  
 J=RJ45 FLAT CONTACT 30u"  
 5=RJ45 FLAT CONTACT 50u"



UNLESS SPECIFIED OTHERWISE	DRAWN	W.QIU	DATE	MAY22/19	<b>Amphenol Canada Corp.</b> Commercial Products TITLE SINGLE-PORT HIGH SPEED RJ45, 8P8C WITHOUT SHIELD & LED, -RoHS COMPLIANT DWG. NO. P-RJHSE-X080 REF.
PRIMARY UNITS INCH	CHECKED	L.CHAN	DATE	MAY22/19	
SECONDARY MILLIMETER	M.E. APP'D				
REFERENCE IN PARENTHESES	Q.A. APP'D				
GENERAL TOLERANCES	DWG APPR.				
1 DECIMAL PLACE ±0.025	ENG. REL. NO.				
2 DECIMAL PLACES ±0.020	REF.				
3 DECIMAL PLACES ±0.015	THIRD ANGLE PROJECTION				
ANGULAR DEGREES ±1.0°	DO NOT SCALE DRAWING				
CODE ID NO. 03554   DWG SIZE: C   SCALE: N/A   SHEET 1 OF 1					REV A

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.