102100-1 🗸 ACTIVE


AMPMODU | AMPMODU MOD 1

TE Internal #: 102100-1 Connector Contact, Socket, .15 in [3.81 mm] Centerline, Gold, 22 – 18 AWG Wire Size, .3 – .9 mm² Wire Size, Straight, Wire & Cable, 5 A, AMPMODU MOD 1

View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Connector Contacts



Contact Type: Socket Centerline (Pitch): 3.81 mm [.15 in] Contact Mating Area Plating Material: Gold Wire Size: .3 – .9 mm²

Features

Product Type Features

Applied Pressure	High
Connector & Contact Terminates To	Wire & Cable
Electrical Characteristics	
Dielectric Withstanding Voltage (Max)	1200 VAC



Insulation Resistance	5000 ΜΩ
Contact Resistance	12 mΩ
Contact Features	
Contact Mating Area Plating Material Thickness	.381 μm[15 μin]
PCB Contact Termination Area Plating Material	Gold Flash
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Gold
Contact Orientation	Straight
Contact Current Rating (Max)	5 A
Mechanical Attachment	
Wire Insulation Support	With
PCB Mount Retention	Without
Housing Features	
Centerline (Pitch)	3.81 mm[.15 in]

C For support call+1 800 522 6752

102100-1

Connector Contact, Socket, .15 in [3.81 mm] Centerline, Gold, 22 – 18 AWG Wire Size, .3 – .9 mm² Wire Size, Straight, Wire & Cable, 5 A, AMPMODU MOD 1



Dimensions	
Compatible Insulation Diameter Range	1.3 – 2.29 mm[.051 – .09 in]
Wire Size	.3 – .9 mm ²
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	5000
Packaging Method	Reel
Other	
Connector Contacts Comment	Applicators also available for AMPOMATOR Lead Making Machines and Stripper/Crimper Machines. Consult AMP, Inc., Part No. 843473-1 is an extraction tool for the Crimp Snap-In contacts.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part


102100-1

Connector Contact, Socket, .15 in [3.81 mm] Centerline, Gold, 22 – 18 AWG Wire Size, .3 – .9 mm² Wire Size, Straight, Wire & Cable, 5 A, AMPMODU MOD 1




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series AMPMODU MOD 1




Customers Also Bought

102100-1

Connector Contact, Socket, .15 in [3.81 mm] Centerline, Gold, 22 – 18 AWG Wire Size, .3 – .9 mm² Wire Size, Straight, Wire & Cable, 5 A, AMPMODU MOD 1







Documents

Product Drawings MOD I RECP PLTD 15 SEL

English

Product Specifications Application Specification English