



**VARITRONIX**

# VARITRONIX LIMITED

TELEX: 36643 VTRAX HX


TELE FAX: (852) 23439704

PAGE : 1 / 2

COVER PAGE REVISION : A

P.I.D.	VI_508_V16
COUNTER DRAWING REVISION NO.	VI-508-DP (REV.0)
FEASIBILITY STUDY NO.	-----
CUSTOMER NAME / REF. NO.	STANDARD / VI-508-DP-RH
CUSTOMER LCD DRAWING REF. NO.	-----
MODE/COLOR/TYPE	POSITIVE / -- / TN
VIEWING DIRECTION	6:00 O'CLOCK
CONNECTOR TYPE	SHOULDER PINS (L = 6.35+/-0.5mm)
LEAD-FREE REQUIREMENT FOR PIN (Y/N)	YES
DRIVING IC	-----
DRIVING SCHEME	STATIC
DRIV. VOLTAGE (VLCD)	~3.0 VOLT(p-p) @ +20 °C
OPERATING TEMP. °C	-30 ----- +80
STORAGE TEMP. °C	-40 ----- +80
POLARIZER--FRONT	H.T. TRANSMISSIVE
POLARIZER--BACK	H.T. REFLECTIVE
BACKLIGHT	COLOR : -----
	WAVELENGTH / SPECTRUM : -----
	INTENSITY / LUMINANCE : -----
BEZEL / HOUSING ( ASSUME METAL IF NO INFO. PROVIDE)	NO INFORMATION
GOVERNMENT SAFETY AND ENVIRONMENTAL REGULATION	-----
SAFETY REQUIREMENT	-----
THE IMPACT OF DESIGN CHANGE	-----
VX DISPLAY (PID) TO PUT IN THE SAME DEVICE	-----
PERFORMANCE REFERENCE TO VX DISPLAY (PID)	-----
INK-JET PRINTING DIAGRAM DOC. NO.	-----
INK PRINTING LOCATION DIAGRAM DOC. NO.	-----
PULLING TAPE / ROUND LABEL DIAGRAM DOC.	-----
POLARIZER DIAGRAM DOC. NO.	-----
PIN DIAGRAM DOC. NO.	-----
RTV COATING LOCATION DIAGRAM DOC. NO.	-----
COLOR FILTER / DIFFUSOR DIAGRAM DOC. NO.	-----
GLASS GRADE	G1
BEVEL EDGE (Yes/No)	YES
CORNER CUT / DRILL HOLE DIAGRAM DOC.NO	NO
ESD TEST REQUIREMENT (DOC. NO. IF ANY)	NO

REMARKS:

PREPARED BY : MAKO  DATE : 9-Jan-12

CHECKED BY : ERIC  DATE : 9-Jan-12

CUSTOMER APPROVAL:

a) TO HELP ACCELERATE THE PROTOTYPE LEAD TIME, PLEASE RETURN THIS SIGNED SPEC APPROVAL OR COMMENTS WITHIN 3 DAYS.  
b) VIA E-MAIL FOR FURTHER DOCUMENTAL COMMUNICATION AND WITHOUT TWO WAYS DOCUMENTAL COMMUNICATION. PLEASE USE "PID" AS A REFERENCE IN FUTURE COMMUNICATION.  
c) LAYOUT INSPECTION : IF NO CUSTOMER REQUEST , ALL LAYOUT INSPECTION SHOULD BE PERFORMED ON ANNUAL BASIS.

