


Data sheet | Item number: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored



www.wago.com/210-118



Color:

Data

Technical data

Main product function

Mounting accessories

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Width	2000 mm / 78.74 inches
Height	15 mm / 0.591 inches
Depth	35 mm / 1.378 inches

Material Data

Color	silver-colored
Weight	1820 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-06-02
eCl@ss 9.0	27-40-06-02
ETIM 8.0	EC001285
ETIM 7.0	EC001285
PU (SPU)	10 (1) pcs
Packaging type	box
Country of origin	IT
GTIN	4017332277181
Customs tariff number	72169180000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Label		
Item no.: 210-708		
Labels; for TP printers; 9.5 x 25 mm; white		www.wago.com/210-708
Item no.: 210-808		
Labels; for Smart Printer; 9.5 x 25 mm; white		www.wago.com/210-808

Mounting

Mounting accessories		
Item no.: 209-137		
Mounting adapter; can be used as end stop; 6.5 mm wide; gray		www.wago.com/209-137
Item no.: 249-116		
		www.wago.com/249-116

Subject to changes. Please also observe the further product documentation!



Screwless end stop; 6 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

Item no.: 249-117

Screwless end stop; 10 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

www.wago.com/249-117

Item no.: 249-197

Screwless end stop; 14 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

www.wago.com/249-197

Downloads**Documentation****Bid Text**

210-118 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
210-118 doc - Datei	2017 年8月31 日	doc 24.1 kB	Download

CAD/CAE-Data**CAD data**

2D/3D Models 210-118	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 210-118	URL	Download
------------------------	-----	----------

ZUKEN Portal 210-118	URL	Download
----------------------	-----	----------

EPLAN Data Portal 210-118	URL	Download
---------------------------	-----	----------

Environmental Product Compliance**Compliance Search**

Environmental Product Compliance 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored	URL	Download
--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



When using standard DIN-rails as ground conductor busbars, please refer to the maximum current capacities listed above.

Steel DIN-rails are not suited for PEN (ground and N-conductor) applications per EN 60947-7-2 (VDE 0611, Part 3).

Subject to changes. Please also observe the further product documentation!