





LOC		DIST		REV		REVISIONS		DATE	APPD
AD	00	P	F	ZONE	LTR	DESCRIPTION			
				B		REDRAWN ON CAD PER ECN AD5477	6-13-91	-	
				C		REVISED PER ECN 0010-1013-93 T.S.	8-23-93	JW	
				D		ECN. 0010-1684-94 TH	11/17/94	NFS	
				E		REV PER EC 0U1B-0199-01	14 NOV 01	WM	
				F		ADDED -7 PER EC 0512-0200-02	22 MAY 02	WM	



- ① HOUSING MATERIAL: THERMOPLASTIC, BLACK.
- ② CONTACT MATERIAL: BERYLLIUM COPPER.
- ③ CONTACT FINISH: .000050-.000100 NICKEL UNDERPLATE ALL OVER WITH .000030 GOLD IN CONTACT AREA AND .000100-.000200 TIN-LEAD PLATED POSTS.



RECOMMENDED P.C. BOARD LAYOUT

6.475	6.000	60	12.524	12.950	13.250	366	534027-8	
4.475	4.100	41	8.524	8.950	9.250	246	534027-7	
6.375	5.900	59	12.324	12.750	13.050	360	534027-5	
6.175	5.700	57	11.924	12.350	12.650	348	534027-4	
5.575	5.100	51	10.724	11.150	11.450	312	534027-3	
4.975	4.500	45	9.524	9.950	10.250	276	534027-2	
4.375	3.900	39	8.324	8.750	9.050	240	534027-1	
	F	E	D	C	B	A	NO OF POSN	PART NUMBER

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES TOLERANCES ON : 2 PLC DEC ± .005 3 PLC DEC ± .005 ANGLES ± -	DR 6-13-91 J GALLUCCI B6 CHK 12/10/91 DAVID HOFFMAN APPD 12/10/91 WAYNE MILLHIMES APPD 12/10/91 VAN WEBSTER PRODUCT SPEC 108-1188 APPLICATION SPEC -	AMP AMP Incorporated Harrisburg, PA 17105-3608 NAME ASSEMBLY, RECEPTACLE, TWIN BEAM CONNECTOR, 3 ROW, 2 MOUNTING HOLES, 1 GUIDE PIN, .120 POST LENGTH		
FINISH ③	WEIGHT -	SIZE D	CAGE CODE 00779	DRAWING NO 534027
		SCALE 4:1	SHEET 1 OF 1	