
REVISIONS										
REV	ECR	DESCRIPTION	DRAWN	DATE						
1		ENGINEERING RELEASE	P. BURDGE	10/29/2020						

-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:



ITEM	PART NUMBER	DESCRIPITION	QTY
1	IPXLK-113	IPX (MHF1), LOCKING, 1.13MM COAX	1
2	SASRF13RGT-316	SMA, REV POL JACK, BLKHD, CABLE CRIMP	1
3	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1

IPX® AND MHF® ARE REGISTAERED TRADEMARKS OF I-PEX CO., LTD. CORPORATION

DO NOT SCALE DRA	AWING	D	Lighthorse Technologies					
TOLERANCES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN			San Diego, CA WWW.RFCONNECTOR.COM					
MILLIMETERS X = ±0.5 X.X = ±0.25	⊕ € <	TITLE: CABLE ASSEMBLY, I-PEX LOCKING,						
$X.XX = \pm 0.13$ $ANGLE = \pm 30'$	THIRD ANGLE PROJECTION	(MHF1) R/A JACK, CRIMP TO RP SMA, JACK,						
CUSTOMER APPR	OVAL		REAR BULKHEAD MNT, 1.13MM COAX					
SIGN / DATE:	SIGN / DATE:		PAI	RT/DWG. NO:		REV		
ENG APPR.								
CHECKED		B CB1.13-IPXLK-SARF3GT-xxIN 1				1		
DRAWN P. BURDGE	10/29/2020							
NAME DATE		SCALE: 2:1 FI		FILE NAME		SHEET 1 OF 1		

SCALE: NONE

PROPRIETARY AND CONFIDENTIAL

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION, REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS RESERVED.



4

1