

**Data sheet | Item number: 790-190**

U-shaped busbar; Cu 10 mm x 3 mm; for 5 I/O; suitable for 750 Series I/O modules; silver-colored

[www.wago.com/790-190](http://www.wago.com/790-190)



Color:

**Data**

**Technical data**

Main product function

Shield termination

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Material Data

Color	silver-colored
Weight	50.5 g

## Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-46
eCl@ss 9.0	27-14-11-46
ETIM 8.0	EC001522
ETIM 7.0	EC001522
PU (SPU)	25 (5) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454229764
Customs tariff number	7407100000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Optional accessories

### Shield termination

Shield clamping saddles		
<b>Item no.: 790-116</b>		
Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm		<a href="http://www.wago.com/790-116">www.wago.com/790-116</a>
<b>Item no.: 790-124</b>		
Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm		<a href="http://www.wago.com/790-124">www.wago.com/790-124</a>
<b>Item no.: 790-108</b>		
Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm		<a href="http://www.wago.com/790-108">www.wago.com/790-108</a>
<b>Item no.: 790-140</b>		
Shield clamping saddle; diameter of compatible conductor		<a href="http://www.wago.com/790-140">www.wago.com/790-140</a>
<b>Item no.: 790-216</b>		
Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm		<a href="http://www.wago.com/790-216">www.wago.com/790-216</a>
<b>Item no.: 790-220</b>		
Shield clamping saddle; 30 mm wide; 6 ... 20 mm		<a href="http://www.wago.com/790-220">www.wago.com/790-220</a>
<b>Item no.: 790-208</b>		
Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm		<a href="http://www.wago.com/790-208">www.wago.com/790-208</a>

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Downloads

### Documentation

#### Bid Text

790-190 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
------------------------	--------------	---------------	----------

790-190 doc - Datei	2018 年11月28 日	doc 23.6 kB	Download
------------------------	---------------	----------------	----------

### CAD/CAE-Data

#### CAE data

WSCAD Universe 790-190		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 790-190		URL	Download
----------------------	--	-----	----------

EPLAN Data Portal 790-190		URL	Download
---------------------------	--	-----	----------

#### CAD data

2D/3D Models 790-190		URL	Download
----------------------	--	-----	----------

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 790-190 U-shaped busbar; Cu 10 mm x 3 mm; for 5 I/O; suitable for 750 Series I/O modules; silver-colored		URL	Download
---	--	-----	----------

### Installation Notes

Subject to changes. Please also observe the further product documentation!



U-shaped (10 x 3) mm copper busbar

Subject to changes. Please also observe the further product documentation!