

## Gang Flash Programming Support for GainSpan GS200 Wifi Modules



GainSpan is changing the Wi-Fi industry with technology that lets users add Wi-Fi connectivity to nearly any product. High speed 4Gang programming of these modules are supported by Xeltek **SuperPro 7100**. **SuperPro 7100** is an advanced gang programmer that can program four chips in parallel at high programming speed. Powerful software features allow users to erase, blank check, program, verify and read MAC address from Gainspan wifi modules.

Xeltek have designed Clamshell socket adapters for easy insertion of Gainspan 49-pin **GS2011M**, 37-pin **GS2011MxxS**, and 40-pin **GS2100M** low power WiFi modules:

Gainspan Module	Number of pins	Socket Adapter	Xeltek Programmer
<b>GS2011MIE</b>	49	<b>FX9998-T001</b>	<b>Superpro 7100</b>
<b>GS2011MIPS</b>	37	<b>FX9997-T001</b>	<b>Superpro 7100</b>
<b>GS2100MIP</b>	40	<b>FX9999-T001</b>	<b>Superpro 7100</b>

SuperPro 7100 can operate in both PC and stand-alone mode (no PC required). Stand-alone cluster setup allow users to program 8 chips at a time.

## FX9997-T001



Socket Adapter for GS2011MlxxS 37 pin module

## FX9998-T001 Socket Adapter



Programmer: SuperPro 7100

# FX9999-T001 Socket Adapter



Programmer: SuperPro 7100