## EB 2-31/PT - Insertion bridge

3215057

https://www.phoenixcontact.com/us/products/3215057

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, pitch: 31 mm, number of positions: 2, length: 78 mm, color: red



### Commercial data

Item number	3215057
Packing unit	1 pc
Minimum order quantity	5 pc
Sales key	BE29
Product key	BE2Z2X
Catalog page	Page 140 (C-1-2019)
GTIN	4046356903677
Weight per piece (including packing)	70.2 g
Weight per piece (excluding packing)	70.2 g
Customs tariff number	85366990
Country of origin	PL

# EB 2-31/PT - Insertion bridge

3215057

https://www.phoenixcontact.com/us/products/3215057



## Technical data

#### Product properties

Product type	Insertion bridge		
Number of positions	2		
Pitch	31 mm		
Electrical properties			
Maximum load current	232 A		
Connection data			
Maximum load current	232 A		
Dimensions			
Width	54.7 mm		
Height	78.4 mm		
Depth	36.7 mm		
Length	78.4 mm		
Pitch	31 mm		

### Material specifications

Color	red
Material	Metal
Flammability rating according to UL 94	VO
Coating	tin-plated
Insulating material	PA

# EB 2-31/PT - Insertion bridge

3215057

https://www.phoenixcontact.com/us/products/3215057




## Classifications

#### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

### ETIM

	ETIM 8.0	EC000489		
UNSPSC				
	UNSPSC 21.0	39121400		



3215057

https://www.phoenixcontact.com/us/products/3215057



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com