


TE Internal #: 2323857-1 Busbar to R-terminal Cable Assembly, .24 m, 8 mm<sup>2</sup> / 18 mm<sup>2</sup>, White / Black / Green Cable, Double Ended, Busbar Plug, Rterminal, Thermoplastic

#### View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Power Cable Assemblies



Cable Assembly Configuration: Double Ended

Wire Size: 8 mm<sup>2</sup>, 18 mm<sup>2</sup>

Outside Cable Diameter: [.08 in, .24 in]

Cable Assembly Length: .24 m

Cable Color: Black, Green, Red, White

## Features

### Product Type Features

Cable Assembly Type	Busbar to R-terminal
Connector Type (End A)	Busbar Plug
Connector Type (End B)	R-terminal
Body Features	
Cable Color	Black, Green, Red, White
Connector Color (End A)	Black
Housing Features	
Housing Material	Thermoplastic
Dimensions	
Wire Size	8 mm², 18 mm²
	.08 in[.24 in]
Usage Conditions	
Operating Temperature Range	-40 – 105 °C
Other	

**C** For support call+1 800 522 6752

#### 2323857-1

Busbar to R-terminal Cable Assembly, .24 m, 8 mm<sup>2</sup> / 18 mm<sup>2</sup>, White / Black / Green Cable, Double Ended, Busbar Plug, R-terminal, Thermoplastic



Cable Assembly Configuration	Double Ended
Cable Assembly Length	.24 m
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



**Customers Also Bought** 

#### 2323857-1

Busbar to R-terminal Cable Assembly, .24 m, 8 mm² / 18 mm², White / Black / Green Cable, Double Ended, Busbar Plug, R-terminal, Thermoplastic





# Documents

Product Drawings CA, 50A TRIBUTARY

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2323857-1\_1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2323857-1\_1.3d\_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_2323857-1_1.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.