

TE Internal #: 2301844-1 PCB D-Sub Connectors, Receptacle, Wire-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Round, Standard Profile

#### View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > PCB D-Sub Connectors > D-Sub Receptacle Assembly: Right Angle, Shell Size 1, 2.74mm





Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 9

Centerline (Pitch): 2.77 mm [.109 in ]

Number of Rows: 2

All D-Sub Receptacle Assembly: Right Angle, Shell Size 1, 2.74mm (77)

# Features

## Product Type Features

Connector & Housing Type	Receptacle				
Connector System	Wire-to-Board				
Connector Shell Size	1				
Connector & Contact Terminates To	Printed Circuit Board				
Configuration Features					
Number of Positions	9				
Number of Rows	2				
PCB Mount Orientation	Right Angle				
Body Features					
Primary Product Color	Black				
Connector Profile	Standard				
Contact Features					
Contact Shape & Form	Round				

**S** For support call+1 800 522 6752

## 2301844-1

PCB D-Sub Connectors, Receptacle, Wire-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Round, Standard Profile



Contact Current Rating (Max)	2 A
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
PCB Mount Retention	With
PCB Mount Retention Type	Boardlock
Mating Retention	With
Mating Retention Type	Threaded Inserts, 4-40 UNC
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2.77 mm[.109 in]
Dimensions	
Row-to-Row Spacing	2.84 mm[.111 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	

Circuit Application

Signal

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

## 2301844-1

PCB D-Sub Connectors, Receptacle, Wire-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Round, Standard Profile



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




TE Part # 2301843-1 AMPL PLUG HD20, R/A, 9P, B/L,4-40 INS

# **Customers Also Bought**









A CAR	II II TE	TODAL TE	TIMETE
TE Part #1-1462037-1 IM02JR=IM RELAY 140mW 4.5V	TE Part #5-1623732-2 BCHE 7 W 6R8 10%	TE Part #215309-8 2X8P HV100 REC CON. TE, 8.5MM	TE Part #216604-6 2X 6P HV190FEDERLEI
	E TE		
TE Part #223982-1 Stainless Steel Guide Pin M4x0.7	TE Part #9-2176414-2 7W STD M/OX 5% 120K	TE Part #4-1618391-1 LEV100A5ANH=RELAY,SPST-NO 24VDC VMT 15	TE Part #1586044-2 2P VAL-U-LOK R/A HDR SCR MT V0

## 2301844-1

PCB D-Sub Connectors, Receptacle, Wire-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Round, Standard Profile



TE Part #1586044-6 6P VAL-U-LOK R/A HDR SCR MT VO

# Documents

Product Drawings AMPL REC HD20, R/A, 9P, B/L,4-40 INS

English

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2301844-1\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2301844-1\_B.3d\_igs.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_2301844-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Environmental Compliance MD\_2301844-1\_121320171119\_dmtec

English

MD\_2301844-1\_121320171119\_dmtec

English