Disconnect plug for carrier terminal blocks; for using a receptacle terminal block as a disconnect terminal block; orange



www.wago.com/2002-401

Color:
00:0::

Data Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/2002-401



Ratings per IEC/EN

Rated impulse voltage (III/2)	6 kV
Rated current	10 A

Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.01 MJ
Weight	0.6 g

Environmental requirements

Continuous operating temperature	105 °C	
----------------------------------	--------	--

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454866020
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant No Evernation
ROHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

Certificate

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/2002-401



name		Additional Approval Text	Approval	Logo
Railway		-	Railway	Logo
Ready			WAGO GmbH & Co. KG	
			s	Downloads
			tation	Documenta
				Bid Text
Download	xml	2019 年2月19日		2002-401
	2.6 kB			X81 - Datei
Download	doc	2017 年4月27日		2002-401
	24.1 kB			doc - Datei
			nformation	Additional Info
Download	pdf 2.2 MB			
			-Data	CAD/CAE-D
				CAE data
Download	URL		verse 2002-401	WSCAD Unive
				CAD data
Download	URL		els 2002-401	2D/3D Model
			ental Product Compliance	Environmer
				Compliance S
Download	URL		tal Product Compliance 2002-401	Environmenta
		erminal block as a	plug for carrier terminal blocks; for using a recept terminal block; orange	
			n Notos	netallation
				nstanation
	URL	erminal block as a	plug for carrier terminal blocks; for using a recept terminal block; orange	Disconnect p

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/2002-401



Carrier terminal block (2002-1661) with disconnect plug (2002-401) in operating position

Carrier terminal block (2002-1661) with disconnect plug (2002-401) in parked position

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com