



2



1

DATE	REV	ECN	APP'D. BY
1-4-08	AO	8331	TRM



B

B




A

A

- NOTES:
- CONNECTOR MATERIALS:  
HOUSING: THERMOPLASTIC UL94 V-0  
CONTACTS/SHIELD: COPPER ALLOY  
SHIELD PLATING: NICKEL  
CONTACT PLATING: SELECTIVE GOLD IN CONTACT AREA  
SEE CHART FOR PART NUMBER
  - FOR PRODUCT SPECIFICATIONS SEE PR022-01.
  - DIMENSIONS AND TOLERANCES COMPLY WITH FCC/CFR 47, PART 68.

30 MICRO-INCHES [0.76um]	SS-662608S-NF-A390
CONTACT PLATING IN MATING AREA	PART NUMBER



# Bel Stewart Connector

11118 Susquehanna Trail South  
Glen Rock, PA 17327-9199  
(717) 235-7512 Fax: (717) 235-7954 <http://www.stewartconnector.com>

DO NOT SCALE DRAWING  
DRAWING IS SUBJECT TO  
CHANGE WITHOUT NOTICE


TITLE: 8 PORT PCB HARM JK PAC, NON-FLANGED, EMI-RFI SHIELDED  
ESD GROUNDED, 2.5 MM CONTACT/SHIELD CLEARANCE IN REAR

DIMENSIONS: INCHES [METRIC]  
UNLESS OTHERWISE SPECIFIED  
TOLERANCES ARE ±.005 [0.13]  
ANGLES ARE ± 1°

THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREON  
ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF  
BEL STEWART CONNECTOR AND SHALL NOT BE REPRODUCED,  
COPIED, OR USED IN ANY MANNER WITHOUT PRIOR WRITTEN  
CONSENT OF BEL STEWART CONNECTOR. THE SUBJECT  
MATTER MAY BE PATENTED OR A PATENT MAY BE PENDING.

DRN BY:	TRM	DATE	1-4-08
APPD BY:	DHG	DATE	1-4-08
DWG NO.	CT660157	REV.	A0

SHEET NO. 1 OF 2



REV. 6/3/05

2

1


AutoCAD

B


B

A

A




SEE DETAIL "A"  
8 PLACES



DETAIL "A"  
TYPICAL HOLE LAYOUT  
8 PLACES

P.C.B. RECOMMENDED HOLE LAYOUT  
SEEN FROM COMPONENT SIDE  
ALL CENTERLINE DIMENSIONS ARE BASIC.

REV. 6/3/05



THIRD ANGLE PROJECTION 		<b>Bel Stewart Connector</b> 11118 Susquehanna Trail South Glen Rock, PA 17327-9199 (717) 235-7512 Fax: (717) 235-7954 <a href="http://www.stewartconnector.com">http://www.stewartconnector.com</a>	
DO NOT SCALE DRAWING DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE		TITLE: 8 PORT PCB HARM JK PAC, NON-FLANGED, EMI-RFI SHIELDED ESD GROUNDED, 2.5 MM CONTACT/SHIELD CLEARANCE IN REAR	
DIMENSIONS: INCHES [METRIC]		DRN BY: TRM	DATE 1-4-08
UNLESS OTHERWISE SPECIFIED TOLERANCES ARE $\pm .005$ [0.13] ANGLES ARE $\pm 1^\circ$		APPD BY: DHG	DATE 1-4-08
SHEET NO. 2 OF 2		DWG NO. CT660157	REV. A0