

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

LOC

DIST

REVISIONS

© COPYRIGHT 20

ALL RIGHTS RESERVED.

IR

B

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|---------------------------|-----------|-----|------|
| | F | ECR-06-000712 | 11/01/06 | MJG | JA |
| | F1 | ECR-10-022530 | 02FEB11 | KK | HMR |
| | F2 | TAB BENT ANGLE DIM. ADDED | 27JUL2011 | PKS | RRP |
| | F3 | REVISED PER ECR-21-100552 | 09MAR2021 | PC | DH |

1 PRODUCT MANUFACTURED WITH REAR CARRIER STRIP

2 PRODUCT MANUFACTURED WITHOUT REAR CARRIER STRIP

NOTES:

1 PRODUCT MANUFACTURED WITH REAR CARRIER STRIP
 2 PRODUCT MANUFACTURED WITHOUT REAR CARRIER STRIP
 3 STANDARD TAB
 4 LOW INSERTION TAB
 5. TERMINAL DESIGNED FOR WIRE RANGE 18-14 AWG WITH INSULATION RANGE 0.120" TO 0.0170"
 6 OBSOLETE

| | | | | |
|---|-----|---------|-------------|----------|
| 6 | 4 | 2 | ELECTRO-TIN | +51321-8 |
| 6 | 4 | 2 | UNPLATED | +51321-7 |
| 6 | 4 | 1 | ELECTRO-TIN | +51321-6 |
| 6 | 4 | 1 | UNPLATED | +51321-5 |
| | 3 | 2 | ELECTRO-TIN | 151321-4 |
| | 3 | 2 | UNPLATED | 151321-3 |
| | 3 | 1 | ELECTRO-TIN | 151321-2 |
| | 3 | 1 | UNPLATED | 151321-1 |
| | TAB | CARRIER | FINISH | PART NO |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN A. J. BEKEN 13/09/00

CHK R. GOODALL 13/09/00

APVD F. W. K. 13/09/00

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

| | |
|--------|------|
| 0 PLC | ±.02 |
| 1 PLC | ±.02 |
| 2 PLC | ±.02 |
| 3 PLC | ±.02 |
| 4 PLC | ±.02 |
| ANGLES | ±1 |

FINISH SEE TABLE

MATERIAL BRASS

TE Connectivity

FLAG FASTON, PIGGY BACK
 .250 SERIES

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|------|-----------|------------|---------------|
| A3 | 00779 | C-151321 | |

| SCALE | SHEET | OF | REV |
|-------|-------|----|-----|
| 5:1 | 1 | 1 | F3 |

1470-19 (3/11)