# Data sheet | Item number: 2070-400

Operating tool; made of insulating material; green

www.wago.com/2070-400



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Main product function

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

Operating tool

We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 2070-400

www.wago.com/2070-400



### Mechanical Data

Suitable

Material Data	
Color	green
Weight	1.8 g

for 2070 Series

## Commercial data

eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143822930
Customs tariff number	82055980000

# **Environmental Product Compliance**

# **Downloads**

# **Environmental Product Compliance**

### Compliance Search

Environmental Product Compliance 2070-400	URL	Download
Operating tool; made of insulating material; green		

### **Installation Notes**

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

# Insert fine-stranded conductors and remove all conductor types via operating tool. Solid conductors can also be terminated by simply pushing them in.

Data sheet | Item number: 2070-400



Use an operating tool or simply "twist and pull"

to remove solid conductors.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.