

### Z-PACK | Z-PACK 2mm HM

TE Internal #: 3-100668-0 Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Traditional Backplane, 154 Position, Z-PACK 2mm HM

### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

I SAAAAAAAA -TE

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm

PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s** 

Number of Columns: 22

Number of Rows: 7

Backplane Architecture: Traditional Backplane

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (124)



# Features

## **Product Type Features**

PCB Connector Assembly Type	PCB Mount Header		
Connector System	Board-to-Board		
Sealable	No		
Connector & Contact Terminates To	Printed Circuit Board		
Configuration Features			
Number of Columns	22		
Number of Rows	7		
Backplane Architecture	Traditional Backplane		
Number of Positions	154		
PCB Mount Orientation	Vertical		
Signal Characteristics			
Data Rate	≤1 Gb/s		

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Traditional Backplane, 154 Position, Z-PACK 2mm HM



### **Body Features**

Primary Product Color	Gray
Contact Features	
CompactPCI Designation	None
Contact Type	Pin
Contact Mating Area Plating Material	Gold
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2 mm[.078 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	

Tube

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Not Compliant

Compliant with Exemptions

Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2022 (224)

SVHC > Threshold:

Pb (13% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Traditional Backplane, 154 Position, Z-PACK 2mm HM



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series Z-PACK 2mm HM




	and the second s		
Backplane Coding Keys(60)	Backplane Connector Housings(4)	Backplane Guide Hardware(37)	Backplane Power Connectors(6)
A Contraction of the second se			
Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Traditional Backplane, 154 Position, Z-PACK 2mm HM





# Customers Also Bought



# Documents

**Product Drawings** Z-PACK M.ASSY.154P.

English

**CAD** Files

3D

# **Customer View Model** ENG\_CVM\_CVM\_3-100668-0\_H.2d\_dxf.zip English 3D PDF **Customer View Model** ENG\_CVM\_CVM\_3-100668-0\_H.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_3-100668-0\_H.3d\_stp.zip English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 7 Row, Traditional Backplane, 154 Position, Z-PACK 2mm HM



Product Specifications Product Specification

English

Product Environmental Compliance

Product Compliance

English

**Product Compliance** 

English