Data sheet | Item number: 2104-1291

End and intermediate plate; 1 mm thick; gray

www.wago.com/2104-1291



Color:

Data

Height

Physical data

Width 1 mm / 0.039 inches 69.5 mm / 2.736 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 2104-1291

www.wago.com/2104-1291



Depth 30.5 mm / 1.201 inches **Mechanical Data** Mounting type snap-on type **Material Data** Note (material data) Information on material specifications can be found here Color gray Material group Insulation material Polyamide (PA66) V0 Flammability class per UL94 Fire load 0.066 MJ Weight 2.3 g **Environmental requirements** -35 ... +85 °C Processing temperature -60 ... +105 °C Continuous operating temperature Commercial data ETIM 8.0 EC000886 ETIM 7.0 EC000886 PU (SPU) 100 (25) pcs

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

DE

4055143975452

85389099990

Approvals / Certificates

Country of origin

Customs tariff number

GTIN

Declarations of conformity and manufacturer's declarations

			Certificate
Logo	Approval	Additional Approval Text	name
	EU-Declaration of Conformity	-	-
	WAGO GmbH & Co. KG		

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



UK-Declaration of Conformity WAGO GmbH & Co. KG

Required accessories

End plate

Through terminal block		
Item no.: 2104-1201		
2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 4 mm²; with test port; side	www.wago.com/2104-1201	
and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; gray		
Item no.: 2104-1204		
2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 4 mm²; with test port;	www.wago.com/2104-1204	
suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE		
CLAMP®; 4,00 mm²; blue		
Item no.: 2104-5201		
2-conductor through terminal block; with lever and push-button; 4 mm ² ; with test port; side and center	er www.wago.com/2104-5201	
marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; gray		
Item no.: 2104-5204		
2-conductor through terminal block; with lever and push-button; 4 mm ² ; with test port; suitable for Ex	www.wago.com/2104-5204	
applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00		
mm²; blue		
Ground terminal block		
Item no.: 2104-1207		
2-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 4 mm²; with test port; side	www.wago.com/2104-1207	
and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; green-yellow		
Item no.: 2104-5207		
2-conductor ground terminal block; with lever and push-button; 4 mm²; with test port; side and center	www.wago.com/2104-520	
marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; green-yellow	-	

Downloads Documentation

Bid Text

2104-1291 X81 - Datei	xml Download 3.0 kB
2104-1291	docx Download
doc - Datei	20.8 kB
Additional Information	
	pdf Download
	2.3 MB

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 2104-1291

www.wago.com/2104-1291



CAD/CAE-Data

CAE data

ZUKEN Portal 2104-1291	URL	Download
EPLAN Data Portal 2104-1291	URL	Download
CAD data		
2D/3D Models 2104-1291	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2104-1291

End and intermediate plate; 1 mm thick; gray

URL

Download

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.