

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION NOV , 2003.

© COPYRIGHT 2003 By -

ALL RIGHTS RESERVED.




REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B2	ECR-19-007643	15MAY2019	RZ	RS

- ① SINGLE PACK IN ACCORDANCE WITH SPEC 107-3275
- ② 100 TRAY PACK IN ACCORDANCE WITH SPEC 107-3275
- ③ 0.76µm Au PLATING OVER 1.27µm Ni PLATING OVER 0.76µm Cu PLATING
- ④ 0.08µm Au PLATING OVER 1.27µm Ni PLATING OVER 0.76µm Cu PLATING

5 HANDTOOL 9-1478240-0


6 DIE SET 9-1478248-0




RECOMMENDED CENTRE CONTACT A/F SQR



RECOMMENDED CRIMP SLEEVE A/F HEX



RECOMMENDED CABLE STRIPPING DIM'S



QTY	UNIT	MATERIAL	DESCRIPTION	ITEM
1	1	BRASS	④ CRIMP SLEEVE	6
1	1	BRASS	③ PIN	5
1	1	BRASS	④ BODY	4
1	1	PTFE	INSULATOR	3
1	1	BRASS	④ BODY	2
1	1	BERYLLIUM COPPER	④ RETAINING RING	1
6--0	1--0		MATERIAL	DESCRIPTION
②	①			

QUANTITY PER ASSY

PARTS LIST

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± -
	1 PLC ± -
	2 PLC ± 0.15
	3 PLC ± -
	4 PLC ± -
	ANGLES ± -
MATERIAL	FINISH
-	-

DWN	J.SANDWELL	12NOV03
CHK	S.PARLOW	12NOV03
APVD	F.WHEELER-KING	12NOV03
PRODUCT SPEC	108-2084	
APPLICATION SPEC	-	
WEIGHT	0.000000	
CUSTOMER DRAWING		



MMCX STRAIGHT PLUG CRIMP RG174 50 OHMS

NAME	-			RESTRICTED TO	-
SIZE	A3	CAGE CODE	00779	DRAWING NO	C-1634000
SCALE	NTS	SHEET	1 OF 1	REV	B2