


REV: EC0 # DATE: A1 09-012043 18 MAY 09








45° ADAPTOR

<u>- 45</u>



Tyco Electronics		Product Brand:  Raychem Adapters  305 Constitution Drive Menlo Park, CA 94025, USA		HEXASHIELD ADAPTOR FOR CODE 40 CONNECTORS TINEL CLAMPING NUT				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCH DIMENSIONS ARE SHOWN IN		Tyco Electronics reserves drawing at any time. Use suitability of the product for	rs should evaluate the	DOCUMENT NO. <b>HEX40-</b>	-KC-YY-	YY-AYY-2-YY		
BRACKETS. DRAWN:	DATE:	APPROVED:	DATE:	CODE IDENT. NO:	SCALE:	SHEET:		
A. BUI	13 MAY 09	M. PIOZET	13 MAY 09	06090	NONE	1 OF 4		

REV:	EC0 #	DATE:
A1	09-012043	18 MAY 09

## KIT DESCRIPTION

ITEM	DESCRIPTION	MATERIAL			
1	BODY ASSEMBLY	STAINLESS STEEL			
2	TINEL CLAMPING ADAPTOR ASSEMBLY	STAINLESS STEEL			
	TINEL-LOCK™ RING	TINEL-X™			
3	CONIC RING	STAINLESS STEEL			
4	STAR	STAINLESS STEEL			

### **TABLE OF DIMENSIONS**

Order Number	Shell	Size	Tinel Entry	ØA Thread Class 6H	<b>ØB</b> Max	<b>ØC</b> Max	<b>D</b> Max	<b>E</b> Max	<b>F</b> Max	<b>G</b> Max	Feri Qua	rule ntity
	Mil.	Com.	Size								Std.	Opt.
09	Α	09	05	M12 x 1	19.0 [0.75"]	38.5 [1.52"]	12.5 [0.49"]	38.5 [1.52"]	16.0 [0.63"]	42.0 [1.65"]	1	-
11	В	11	80	M15 x 1	22.0 [0.87"]	38.5 [1.52"]	13.0 [0.51"]	39.0 [1.54"]	17.5 [0.69"]	43.5 [1.71"]	2	-
13	С	13	10	M18 x 1	25.5 [1.00"]	38.5 [1.52"]	14.0 [0.55"]	39.5 [1.56"]	19.0 [0.75"]	45.0 [1.77"]	3	-
15	D	15	12	M22 x 1	30.5 [1.20"]	38.5 [1.52"]	14.5 [0.57"]	40.5 [1.60"]	20.5 [0.81"]	46.5 [1.83"]	5	-
17	E	17	14	M25 x 1	33.5 [1.32"]	38.5 [1.52"]	15.0 [0.59"]	41.0 [1.61"]	22.0 [0.87"]	48.0 [1.89"]	6	7
19	F	19	16	M28 x 1	37.0 [1.46"]	38.5 [1.52"]	15.5 [0.61"]	41.5 [1.63"]	23.5 [0.93"]	49.5 [1.95"]	7	8
21	G	21	18	M31 x 1	38.5 [1.52"]	38.5 [1.52"]	16.5 [0.65"]	42.5 [1.67"]	25.5 [1.00"]	51.5 [2.03"]	9	11
23	Н	23	20	M34 x 1	42.0 [1.65"]	38.5 [1.52"]	17.0 [0.67"]	43.0 [1.69"]	27.0 [1.06"]	53.0 [2.09"]	10	13
25	J	25	20	M37 x 1	46.5 [1.83"]	46.0 [1.81"]	18.0 [0.71"]	51.5 [2.03"]	28.5 [1.12"]	62.0 [2.44"]	12	18


Tinel Entry Size	øs
05	10.97/11.13
	[0.432/0.438"]
80	15.72/15.91
	[0.619"/0.626"]
10	18.84/19.11
	[0.742"/0.752"]
12	22.02/22.28
	[0.867"/0.877"]

Tinel Entry Size	øs
14	25.17/25.46 [0.991"/1.002"]
16	28.34/28.63 [1.116"/1.127"]
18	31.52/31.81 [1.241"/1.252"]
20	34.69/34.98 [1.366"/1.377"]

Tyco Electronics		Product Brand:  Raychem Adapters  305 Constitution Drive Menlo Park, CA 94025, USA		HEXASHIELD ADAPTOR FOR CODE 40 CONNECTORS TINEL CLAMPING NUT				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCH DIMENSIONS ARE SHOWN IN BRACKETS.		Tyco Electronics reserves drawing at any time. Use suitability of the product for	rs should evaluate the	DOCUMENT NO.  HEX40-	-KC-YY-	YY-AYY-2-Y	Υ	
DRAWN: A. BUI	DATE: 13 MAY 09	APPROVED: M. PIOZET	DATE: 13 MAY 09	CODE IDENT. NO: 06090	SCALE: NONE	SHEET:	4	

REV:	EC0 #	DATE:
<b>A</b> 1	09-012043	18 MAY 09

#### **PART NUMBERING**




#### **APPLICATION**

- These adaptors are designed to be mounted on the following connectors:

MIL-DTL-38999 Series III and IV

- They are qualified to the Tyco Electronics specification RB-114, when installed on metallic Mil-Specification circular connectors only.
- They are designed for wire bundle installations having an single overall braid terminated by means of a Tinel-Lock™ ring.
- They are also designed to accept Raychem heat shrink moulded parts where strain relief and sealing is required see illustrations.



- Use in conjunction with the ferrules HET-A-0XX, which are purchased separately. Refer to HET-A-0XX Customer Drawing for relevant
- selection details.
- \* Refer to TR Customer Drawing for further information on Tinel-Lock™ rings.

#### **INSTALLATION**

- See Installation Procedure RPIP-696-04.

#### **PACKAGING**


- All components are supplied in a plastic bag.

<b>Tyco Electronics</b>		Raychem A 305 Constitution Drive Menlo Park, CA 94025	•	HEXASHIELD ADAPTOR FOR CODE 40 CONNECTORS TINEL CLAMPING NUT				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCH DIMENSIONS ARE SHOWN IN BRACKETS.			ves the right to amend this leers should evaluate the st for their application.	DOCUMENT NO.  HEX40	-KC-YY-	YY-AYY-2-YY		
DRAWN: A. BUI	DATE: 13 MAY 09	APPROVED: M. PIOZET	DATE: 13 MAY 09	CODE IDENT. NO: 06090	SCALE: NONE	SHEET: 3 OF 4		

REV:	EC0 #	DATE:
<b>A</b> 1	09-012043	18 MAY 09

#### NOTES

- 1. Item 4 Star is **not** supplied with Hexashield Order Number 09.
- 2. The DS option, illustrated below, is for a Drilled Star that is available on sizes 15 to 25 only. This option is to allow unshielded wires to pass through the assembly.




STAR SIZE	15	17	19	21	23	25
ØH MAX	3.0	6.0	9.0	12.0	15.0	18.0
	[0.12"]	[0.24"]	[0.35"]	[0.47"]	[0.59"]	[0.71"]

3. Where the ferrule quantities required are standard, the item 4 - Star - is also standard.

If the optional quantity is selected then 2 items 4 will be supplied - one "split" and the other one standard\*, See below for illustration.

**EXAMPLE: FERRULE QUANTITY CODE -A13** 

-A13 = -A10 SPLIT STAR + -A3 STANDARD STAR



- \* On Order Number 19 only, the Optional Ferrule quantity of 8 uses a "standard" star also.
- 4. Assembly is to be permanently marked with Code Identity Number and Part Number. (e.g. 06090 HEX40-KC-00-21-A9-2)

Tyco Electronics		Product Brand:  Raychem Adapters  305 Constitution Drive Menlo Park, CA 94025, USA		HEXASHIELD ADAPTOR FOR CODE 40 CONNECTORS TINEL CLAMPING NUT				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCH DIMENSIONS ARE SHOWN IN BRACKETS.		Tyco Electronics reserves drawing at any time. Use suitability of the product for	rs should evaluate the	DOCUMENT NO.  HEX40-	-KC-YY-	YY-AYY	′-2-YY	
DRAWN:	DATE:	APPROVED:	DATE:	CODE IDENT. NO:	SCALE:	SHEET:		
A. BUI	13 MAY 09	M. PIOZET	13 MAY 09	06090	NONE		4 OF 4	