



- ① CONTACTS: PHOSPHOR BRONZE.
MOLDED PARTS: POLYESTER, UL 94V-0 RATED, BLACK.
BRACKET: ZINC.
BOARDLOCKS: COPPER ALLOY.
- ② CONTACTS: EITHER 0.76 m [.000030] MIN GOLD PLATE FOR A LENGTH OF 3.35 [.132] MIN FROM MATING END OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, 0.76 m [.000030] MIN TOTAL FOR A LENGTH OF 3.35 [.132] MIN FROM MATING END, 3.81 m [.000150] MIN TIN FOR A LENGTH OF 3.23 [.127] MIN FROM OPPOSITE END, BOTH OVER 1.27 m [.000050] MIN NICKEL.
BRACKET: 3.81 m [.000150] MIN NICKEL OVER 5.08 m [.000200] MIN COPPER.
BOARDLOCKS: 5.08 m [.000200] MIN TIN OVER 1.27 m [.000050] MIN NICKEL.
- ③ POSITION NUMBERS SHOWN FOR REFERENCE ONLY.
- ④ ACTUAL HOLE SIZE USED WILL DEPEND ON TRACE ROUTING REQUIREMENTS BETWEEN HOLES AND CONNECTOR PLACEMENT TECHNIQUE.
- ⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINIS

⑤ OBSOLETE	TRAY	-5750961-2-
	TUBE	5750961-1
	PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN	02-15-05	Tyco Electronics Corporation	
DIMENSIONS: mm [INCHES]		APVD	02-15-05	Harrisburg, PA 17105-3608	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK	02-15-05	NAME	
0 PLC ± -		M. WALMSLEY		PRODUCT SPEC	
1 PLC ± -		S. SHUFY		108-1228	
2 PLC ± 0.13[.005]		M. WALMSLEY		APPLICATION SPEC	
3 PLC ± -		M. WALMSLEY		114-40029	
4 PLC ± -		M. WALMSLEY		SIZE	
ANGLES ± -		M. WALMSLEY		CAGE CODE	
MATERIAL		M. WALMSLEY		DRAWING NO	
FINISH		M. WALMSLEY		A1 00779	
①		M. WALMSLEY		RESTRICTED TO	
②		M. WALMSLEY		CUSTOMER DRAWING	
		M. WALMSLEY		SCALE 4:1	
		M. WALMSLEY		SHEET 1 OF 1	
		M. WALMSLEY		REV B1	

**COPYRIGHT 2005
 TYCO ELECTRONICS CORP
 ALL RIGHTS RESERVED**