T4171010404-001 <

M12 Connector

TE Internal #: T4171010404-001 Standard Circular Connectors, Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Reverse Gender, Nickel, Brass, M12 Connector

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors > M12 Panel Mount Wire



Connector System: Wire-to-Panel Number of Positions: 4

-TE

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 4A

All M12 Panel Mount Wire (66)



Features

Product Type Features

Prewired	Yes	
Product Type	Connector Assembly	
Accessory Color	Black	
Assembly Type	Electrical Connector	
Connector System	Wire-to-Panel	
Sealable	Yes	
Connector & Contact Terminates To	Wire & Cable	
Circular Connector Type	Plug	
Shell Type	Metal	
Configuration Features		
Keying & Polarized Position Locations	В	
Factory Installed Backshell	No	
Keying	В	

C For support call+1 800 522 6752

Standard Circular Connectors, Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Reverse Gender, Nickel, Brass, M12 Connector



Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes
Electrical Characteristics	
Operating Voltage	250 VAC
Body Features	
Peripheral Seal Material	Silicone
O-Ring Material	Silicone
Environmental Protection Type	Sealed
Shell Plating Material	Nickel
Shell Base Material	Brass
Circular Connector Insulation Material Type	Polyamide
Contact Features	
Contact Current Rating (Max)	4 A
Reverse Gender	Yes
Circular Connector Contact Type	Pin

Mechanical Attachment

Polarization Code	В			
Mating Alignment Type	Keyed			
Housing Features				
Circular Connector Shell Size	18			
Dimensions				
Wire Size	.34 – .5 mm²			
Usage Conditions				
IP Water Sealing Level	IP67			
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]			
Operation/Application				
Circuit Application	Signal			
Shielded	No			
Industry Standards				

C For support call+1 800 522 6752

Standard Circular Connectors, Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Reverse Gender, Nickel, Brass, M12 Connector



UL Flammability Rating	UL 94HB	
Packaging Features		
Packaging Quantity	1	
Other		
Field Serviceable	No	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (1.9% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	

Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

Standard Circular Connectors, Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Reverse Gender, Nickel, Brass, M12 Connector





Also in the Series | M12 Connector



Customers Also Bought



E CALLE	= TE	TE	= TE
TE Part #T4132412041-000 M12 Panel Mount Solder Cups	TE Part #T4171010004-001 M12,REAR MOUNTING,MALE,A,4P,0.2 M WIRE	TE Part #T4110402041-000 M12 Field Installable Unshielded	TE Part #T4110012051-000 M12 F, 5P GOLD A_CODE S SHIELDED PG9



Documents

Product Drawings M12,REAR MOUNTING,MALE,B,4P,0.2M WIRE

English

CAD Files

Customer View Model ENG_CVM_CVM_T4171010404-001_B.3d_igs.zip

Standard Circular Connectors, Wire-to-Panel, 4 Position, Sealable, Wire & Cable, Signal, Reverse Gender, Nickel, Brass, M12 Connector



English

Customer View Model ENG_CVM_CVM_T4171010404-001_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_T4171010404-001_B.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals UL

English