Data sheet | Item number: 770-675

Mounting plate; 5-pole; for distribution connectors; Plastic; white





<u>.</u> .	
Color:	

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet Item number: 770-675 www.wago.com/770-675	N/AGI
Item description	
Mounting accessories WINSTA® MIDI 5-pole	
level of quality of WINSTA® components from WAGO for your election	oduct line, zero-defect electrical installation is guaranteed. You can rely on the strical installation accessories too. <i>WINSTA®</i> MIDI with Push-in CAGE CLAMP® in a variety of projects you can use for quick, easy, secure, tailored installation.

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

Subject to changes. Please also observe the further product documentation!

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222. www.wago.com/770-675



Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The WINSTA® Pluggable Connection System is ideally tailored to the strict requirements of building installation. It makes electrical installation pluggable, and consequently more efficient, more reliable, and error-free. Using this pre-assembled system decreases time spent on assembly and installation errors at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WINSTA® MIDI accessories from WAGO.

- pre-assembled versions
- quick replacement of defective units during ongoing operation

Data

Connection data

Connection 1

Pole number 5

Mechanical Data

Mounting type	Screw mounting		
Suitable	for distribution connectors (except T-distribution connectors); 5-		
	pole		

Material Data

Note (material data)

Information on material specifications can be found here

Color	white	
Insulation material	Polyamide (PA66)	
Flammability class per UL94	V0	
Fire load	0.185 MJ	
Weight	6.2 g	

Environmental requirements

Processing temperature	-5 +40 °C
Continuous operating temperature	-35 +85 °C

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 770-675

www.wago.com/770-675



Note on continuous operating temperature

Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4017332755559
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Optional accessories

Mounting

Mounting accessories				
ltem no.: 890-601 Fixing pin; 5 mm Ø, for 1.5 2.5 mm mounting plates; Plastic; black	www.wago.com/890-601			
Item no.: 770-601 Fixing pin; 6 mm Ø, for 2.5 4.0 mm mounting plates; Plastic; black	www.wago.com/770-601			

Downloads

Documentation

Bid Text

770-675 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
770-675 doc - Datei	2015 年1月13日	doc 23.0 kB	Download
ausschreiben.de 770-675		URL	Download

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 770-675

www.wago.com/770-675



CAD/CAE-Data

CAE data

WSCAD Universe 770-675	URL	Download
ZUKEN Portal 770-675	URL	Download
CAD data		
2D/3D Models 770-675	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-675 URL Download Mounting plate; 5-pole; for distribution connectors; Plastic; white

Installation Notes

Product family

WINSTA® MIDI

Show all products from the family

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.