


VIEW ON MATING SIDE



A = 16 STANDARD CONTACTS L = 3
 C = 16 STANDARD CONTACTS L = 3
 S = 32 TOTAL NUMBER OF CONTACTS

MARKING	STANDARD
PERFORMANCE LEVEL	G2/O = CONTACT AREA LEVEL2 / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	NO
DIMENSIONS	SD-85003-0002 SHT 1

C	G2/O	c1-16
A	G2/D	a1-16
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO: 2004-XXXX DWN: N.S. 09/09/03 CHK: G.L. 09/09/03 APPR: G.L. 09/09/03	QUALITY SYMBOLS MAJOR ∇ 1 CRITICAL ∇ 2	GENERAL TOLERANCES: (UNLESS SPECIFIED): 4 PLACES ± 0.15 mm $\pm .006$ INCH 3 PLACES ± 0.25 mm $\pm .010$ INCH 2 PLACES ± 0.50 mm $\pm .020$ INCH 1 PLACE ± 0.75 mm $\pm .030$ INCH ANGULAR: \pm	SCALE <input checked="" type="checkbox"/> MM <input type="checkbox"/> INCH	DESIGN UNITS <input checked="" type="checkbox"/> MM <input type="checkbox"/> INCH	THIRD ANGLE PROJECTION <input checked="" type="checkbox"/> THIRD ANGLE <input type="checkbox"/> FIRST ANGLE	DIMENSIONS: <input type="checkbox"/> DIM INCH <input type="checkbox"/> INCH DIM <input checked="" type="checkbox"/> DIM ONLY	SHT 1 REV
DRAWN BY & DATE S.S. 10/09/1999		TITLE: 32 POS MALE CONNECTOR ACCORDING DIN 41612 STYLE C/2 CONTACTS ARRANGEMENT a+c LOADED					
CHECKED BY & DATE G.L. 10/09/1999		MOLEX INCORPORATED					
APPROVED BY & DATE G.L. 10/09/1999		CAD FILENAME	MATERIAL NO.	DRAWING NO.	SHEET NO.		
		SD-85003-0048.S0	85003-0048	SD-85003-0048	1 OF 1		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.					
REV		SIZE		D			