Conductor markers for thread-on mounting; for Smart Printer;  $5 \times 10.5 \text{ mm}$ ; white



www.wago.com/211-861

| Picture differs from the item. |        |
|--------------------------------|--------|
|                                |        |
|                                | Color: |

 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/211-861



#### Data

## Technical data

| Suitable                    | for wire cross-section 0.75 1.5 mm <sup>2</sup> |
|-----------------------------|---|
| Marking method              | Thermal transfer                                |
| Marking                     | plain   |
| Delivery form               | Roll  |
| Delivery form configuration | 1000 pcs/reel; 3 lines                          |
| Printing device             | Smart Printer (Thermal Transfer Printer)        |

# Physical data

| Depth                   | 0.22 mm    |
|-------------------------|------------|
| Marking surface         | 5 x 23 mm  |
| Sheathed cable diameter | 2.3 2.8 mm |

## **Mechanical Data**

| Mounting type    | Sliding on conductor                    |
|------------------|---|
| Smear resistance | in conjunction with 258-5005 Ink Ribbon |

## **Material Data**

| Color                | white                         |
|----------------------|-------------------------------|
| Material             | Polyester                     |
| UV resistance        | EN 60068-2-5:2010 Procedure B |
| Adhesive information | without adhesive              |
| Halogen-free         | Yes                           |
| Weight               | 165 g                         |

## **Environmental requirements**

| Ambient temperature (operation) | -40 +150 °C |
|---------------------------------|-------------|
| Relative humidity               | 40 50 %     |

## Commercial data

| Product Group | 2 (Terminal Block Accessories) |  |
|---------------|--------------------------------|--|
| eCl@ss 10.0   | 27-40-04-01                    |  |
| eCl@ss 9.0    | 27-40-06-29                    |  |

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/211-861



| ETIM 8.0              | EC001530      |
|-----------------------|---------------|
| ETIM 7.0              | EC001530      |
| PU (SPU)              | 1 pcs         |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4050821688655 |
| Customs tariff number | 39269097900   |

## **Environmental Product Compliance**

**RoHS Compliance Status** Compliant, No Exemption

## Optional accessories

Marking accessories

Marking device

Item no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking

www.wago.com/258-5000 material

**Downloads** 

**Documentation** 

**Operating Instructions** 

Download 211-861 Information on printing material pdf 1.3 MB 2020年8月28日

## **Environmental Product Compliance**

Compliance Search

**Environmental Product Compliance 211-861** URL

Conductor markers for thread-on mounting; for Smart Printer; 5 x 10.5 mm; white

#### **Installation Notes**

Application

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Download

www.wago.com/211-861



Conductor marker for thread-on mounting

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.