

Data sheet | Item number: 280-321

End and intermediate plate; 1 mm thick; for triple-deck terminal blocks;
orange



www.wago.com/280-321



Data

Physical data

Width	1 mm / 0.039 inches
Height	80 mm / 3.15 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	55.5 mm / 2.185 inches
-------	------------------------

Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.08 MJ
Weight	2.7 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332292641
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Actuator terminal block	
Item no.: 280-554	
3-conductor actuator supply terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®;	www.wago.com/280-554

Subject to changes. Please also observe the further product documentation!



2,50 mm ² ; gray	
Item no.: 280-555 3-conductor actuator supply terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-555
Item no.: 280-562 2-conductor actuator terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-562
Item no.: 280-562/281-420 2-conductor actuator terminal block; LED (red); with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-562/281-420
Item no.: 280-562/281-411 2-conductor actuator terminal block; with 1N4007 recovery diode; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-562/281-411
Item no.: 280-565 2-conductor actuator terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-565
Item no.: 280-566 2-conductor actuator terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-566
Item no.: 280-562/281-434 2-conductor actuator terminal block; LED (red); with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-562/281-434
Item no.: 280-592 2-conductor actuator supply terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-592
Sensor terminal block	
Item no.: 280-553 3-conductor sensor terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-553
Item no.: 280-560 3-conductor sensor terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-560
Item no.: 280-560/281-434 3-conductor sensor terminal block; LED (red); for PNP-(high-side) switching sensors; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-560/281-434
Item no.: 280-561 3-conductor sensor terminal block; for component plugs; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-561
Item no.: 280-563 3-conductor sensor terminal block; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-563
Item no.: 280-561/281-413 3-conductor sensor terminal block; LED (red); for NPN-(low-side) switching sensors; with colored conductor entries; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/280-561/281-413

Subject to changes. Please also observe the further product documentation!

**Item no.: 280-564**2-conductor sensor supply terminal block; with colored conductor entries; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; graywww.wago.com/280-564**Item no.: 280-566/281-496**3-conductor sensor supply terminal block; LED (green); for NPN-(low-side) switching sensors; Power supply from sensor side; with colored conductor entries; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; graywww.wago.com/280-566/281-496**Item no.: 280-564/281-483**3-conductor sensor supply terminal block; LED (green); for PNP-(high-side) switching sensors; Power supply from sensor side; with colored conductor entries; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; graywww.wago.com/280-564/281-483**Downloads****Documentation****Bid Text**

280-321 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
280-321 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download

Additional Informationpdf
2.3 MB
Download**CAD/CAE-Data****CAD data**2D/3D Models 280-321
URL
Download**CAE data**EPLAN Data Portal 280-321
URL
DownloadWSCAD Universe 280-321
URL
DownloadZUKEN Portal 280-321
URL
Download**Environmental Product Compliance****Compliance Search**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 280-321

www.wago.com/280-321



[URL](#)

[Download](#)

Environmental Product Compliance 280-321

End and intermediate plate; 1 mm thick; for triple-deck terminal blocks; orange

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.