9-1563172-9 ACTIVE

AMP | MCON Interconnection System

TE Internal #: 9-1563172-9

Housing for Female Terminals, Wire-to-Wire / Wire-to-Board, 58

Position, MCON Interconnection System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1.2 mm, 2.8 mm [.047 in, .11 in]
Connector System: Wire-to-Board, Wire-to-Wire

Number of Positions: 58

Centerline (Pitch): 2.5 mm, 3 mm, 5 mm [.098 in, .118 in, .196 in]

Features

Product Type Features

Primary Product Color

Contact Features

Contact Size

Connector & Keying Code

Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Wire
Sealable	Yes
Hybrid Connector	Yes
Primary Locking Feature	On the Terminal
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	58
Number of Rows	4
Electrical Characteristics	
Operating Voltage	14 VDC
Nominal Voltage Architecture	12 V

Black

Neutral

1.2mm, 2.8mm



Contact Type	Receptacle
Mating Tab Width	1.2 mm, 2.8 mm[.047 in][.11 in]
Contact Current Rating (Max)	13 A, 25 A
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	With
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	2.5 mm, 3 mm, 5 mm[.098 in][.118 in][.196 in]
Dimensions	
Connector Height	35.7 mm[1.406 in]
Product Width	42 mm[1.654 in]
Product Length	61.9 mm[2.437 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	156
Packaging Method	Вох
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













TE Part # 1452408-2 SECONDARY LOCK FOR 58 POS CONN



TE Part # CAT-AM705-T273 AMP MCP, RECEPTACLE AND TAB



MCON Receptacle and Tab



Also in the Series | MCON Interconnection System



Automotive Connector Caps & Covers



Automotive Connector Locks & Position Assurance(11)



Automotive Housings(317)



Automotive Terminals(119)



Connector Seals & Cavity Plugs(5)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(7)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #1452862-1 COVER 96POS. ASSY



TE Part #1452388-1 2 LOCKING DEVI1.2



TE Part #1-338070-0 MICRO-MATCH FEM.SE





TE Part #1241605-1 MQS1,5 Sn rec LL EDS 0,75-1,5



TE Part #9-1452423-9 96 POS. CONNECTOR ASSY



TE Part #1-1924067-6 2POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #6-1393234-7 RP421012





Documents

Product Drawings

58POS, MIXED, REC HSG, ASSY

English

CAD Files

Customer View Model

ENG_CVM_CVM_9-1563172-9_D.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_9-1563172-9_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_9-1563172-9_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MCON Interconnection System

English

Product Specifications

Application Specification

English