




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **4 – 5.2 mm²**

Mating Tab Width: **9.53 mm [.375 in]**

Mating Tab Thickness: **1.22 mm [.048 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	9.53 mm[.375 in]
Mating Tab Thickness	1.22 mm[.048 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Locking Lance

Dimensions

Terminal Material Thickness	.41 mm[.016 in]
Product Length	26.42 mm[1.04 in]
Compatible Insulation Diameter Range	4.1 – 5.3 mm[.161 – .209 in]
Wire Size	4 – 5.2 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Packaging Features

Packaging Quantity	2000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)












EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 280755-4 FF 375 REC 6-10MM2 TPPB</p>	 <p>TE Part # 280756-4 FF 375 REC 3-6MM2 TPPB</p>	 <p>TE Part # 280756-2 FF 375 REC 3-6MM2 TPBR</p>	 <p>TE Part # 280755-2 FF 375 REC 6-10MM2 TPBR</p>
 <p>TE Part # 280074-2 FF 375 TAB 6-10MM2 PTBR</p>	 <p>TE Part # 281091-2 FF 375 REC 6-10MM2 TPBR</p>	 <p>TE Part # 160914-2 FF 250 REC 4-6MM2 TPBR</p>	 <p>TE Part # 160914-4 FF 250 REC 4-6MM2 TPPB</p>
 <p>TE Part # 151667-4 FF 375 REC TERMINAL 11-10 AWG PBR</p>	 <p>TE Part # 1-180453-2 FF 312 REC 1-2.5MM2</p>	 <p>TE Part # 170268-2 FF 375 REC 6-10MM2 TPBR</p>	

Also in the Series | FASTIN-FASTON 375

 <p>Crimp Terminal Housings(9)</p>	 <p>Insertion & Extraction Tools(1)</p>	 <p>Quick Disconnects(20)</p>
---	--	--


Customers Also Bought




TE Part #770251-3
UMNL II SOK PTPPHBZ LP 20-14



TE Part #280073
FF 375 REC HSG 4P NYLON NAT



TE Part #280075-2
FF 375 TAB 3-6MM2 PTBR




TE Part #280074-2
FF 375 TAB 6-10MM2 PTBR



TE Part #770035-1
04P UMNL II PLUG-FRONT 94VO



TE Part #962835-1
FF 374 REC 1-2.5 MM2 PLAIN CUSN4



TE Part #925660-1
.140 DIA PIN



TE Part #EG40970001
ES-CAP-NO.1-C1-0-30MM

Documents

Product Drawings

[FF 375 REC 4-6MM2 TPBR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_151667-2_AD.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_151667-2_AD.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_151667-2_AD.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English

Product Specifications

[FASTIN-FASTON CONN. .110 INCH, .187 INCH, .250 INCH, .375 INCH SRS.](#)

English

[Product Specification](#)

English



Product Environmental Compliance

Product Compliance

English

Product Compliance

English