

**Data sheet | Item number: 880-328**

End and intermediate plate; 2.5 mm thick; orange

[www.wago.com/880-328](http://www.wago.com/880-328)



**Data**

**Physical data**

Width	2.5 mm / 0.098 inches
Height	58.5 mm / 2.303 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	28.6 mm / 1.126 inches
-------	------------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.086 MJ
Weight	2.9 g

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332361941
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block

**Item no.: 880-901**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray [www.wago.com/880-901](http://www.wago.com/880-901)

**Item no.: 880-901/999-940**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray [www.wago.com/880-901/999-940](http://www.wago.com/880-901/999-940)

**Item no.: 880-962/999-940**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; with shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; orange [www.wago.com/880-962/999-940](http://www.wago.com/880-962/999-940)

**Item no.: 880-904**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; blue [www.wago.com/880-904](http://www.wago.com/880-904)

**Item no.: 880-902**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; orange [www.wago.com/880-902](http://www.wago.com/880-902)

**Item no.: 880-961/999-940**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; with shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray [www.wago.com/880-961/999-940](http://www.wago.com/880-961/999-940)

**Item no.: 880-904/999-940**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; blue [www.wago.com/880-904/999-940](http://www.wago.com/880-904/999-940)

**Item no.: 880-902/999-940**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; orange [www.wago.com/880-902/999-940](http://www.wago.com/880-902/999-940)

**Item no.: 880-964/999-940**

2-conductor through terminal block; 4 mm<sup>2</sup>; with test port; with shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; blue [www.wago.com/880-964/999-940](http://www.wago.com/880-964/999-940)

Ground terminal block

**Item no.: 880-907**

2-conductor ground terminal block; 4 mm<sup>2</sup>; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow [www.wago.com/880-907](http://www.wago.com/880-907)

**Item no.: 880-907/999-940**

2-conductor ground terminal block; 4 mm<sup>2</sup>; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow [www.wago.com/880-907/999-940](http://www.wago.com/880-907/999-940)

**Downloads**

**Documentation**

**Bid Text**

880-328 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
880-328 doc - Datei	2017 年4月28 日	doc 22.5 kB	Download

**Additional Information**

pdf  
2.3 MB  
Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## CAD/CAE-Data

### CAD data

2D/3D Models 880-328	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

---

### CAE data

EPLAN Data Portal 880-328	<a href="#">URL</a>	<a href="#">Download</a>
---------------------------	---------------------	--------------------------

---

ZUKEN Portal 880-328	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

---

WSCAD Universe 880-328	<a href="#">URL</a>	<a href="#">Download</a>
------------------------	---------------------	--------------------------

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 880-328	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

---

End and intermediate plate; 2.5 mm thick; orange

## Installation Notes

Subject to changes. Please also observe the further product documentation!