

Data sheet | Item number: 2022-2291

End and intermediate plate; 1 mm thick; gray

www.wago.com/2022-2291



Color:

Data

Physical data

Width	1 mm / 0.039 inches
Height	79.5 mm / 3.13 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	51.1 mm / 2.012 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.11 MJ
Weight	3.7 g

Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454913823
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block

Item no.: 2022-22331-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm²; L www.wago.com/2022-2233 /N; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray**Item no.: 2022-2233/999-953**

Subject to changes. Please also observe the further product documentation!



1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; L /N; with marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2233 /999-953
Item no.: 2022-2232/999-953 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /L; with marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2232 /999-953
Item no.: 2022-2234/999-953 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /N; with marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2234 /999-953
Item no.: 2022-2234 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /N; with marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2234
Item no.: 2022-2238 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; L; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2238
Item no.: 2022-2238/999-953 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; L; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2238 /999-953
Item no.: 2022-2239/999-953 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; N; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2239 /999-953
Item no.: 2022-2239 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; N; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2239
Item no.: 2022-2232 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2232
Item no.: 2022-2231 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; L /L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2231
Item no.: 2022-2201 1-conductor/1-pin double deck receptacle terminal block; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2201
Item no.: 2022-2201/999-953 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; L /L; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2201 /999-953
Item no.: 2022-2202/999-953 1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /L; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2202 /999-953

Subject to changes. Please also observe the further product documentation!



Item no.: 2022-2202	1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2202
Item no.: 2022-2203/999-953	1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; L /N; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2203/999-953
Item no.: 2022-2204/999-953	1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /N; without marker carrier; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2204/999-953
Item no.: 2022-2208/999-953	2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; L; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2208/999-953
Item no.: 2022-2208	2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; L; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2208
Item no.: 2022-2209	2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; N; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2209
Item no.: 2022-2209/999-953	2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin through terminal block; 2.5 mm ² ; N; internal commoning; conductor entry with violet marking; suitable for Ex nA applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2209/999-953
Item no.: 2022-2203	1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; L /N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2203
Item no.: 2022-2204	1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; N /N; without marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/2022-2204
Item no.: 2022-2231/999-953	1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; 2.5 mm ² ; L /L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2231/999-953
Ground terminal block		
Item no.: 2022-2227/999-953	1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/L; suitable for Ex nA applications; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2227/999-953
Item no.: 2022-2237/999-953	2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm ² ; PE; suitable for Ex nA applications; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/2022-2237/999-953
Item no.: 2022-2247/999-953		

Subject to changes. Please also observe the further product documentation!



1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/N; suitable for Ex nA applications; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2247/999-953
Item no.: 2022-2257/999-953 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/L; suitable for Ex nA applications; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2257/999-953
Item no.: 2022-2257 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2257
Item no.: 2022-2237 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm ² ; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/2022-2237
Item no.: 2022-2247 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/N; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2247
Item no.: 2022-2207 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm ² ; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/2022-2207
Item no.: 2022-2207/999-953 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm ² ; PE; suitable for Ex nA applications; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/2022-2207/999-953
Item no.: 2022-2217 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2217
Item no.: 2022-2217/999-953 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/N; suitable for Ex nA applications; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2217/999-953
Item no.: 2022-2227 1-conductor/1-pin double deck receptacle terminal block; Ground conductor/through terminal block; 2.5 mm ² ; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/2022-2227
Item no.: 2022-2237/427-000 2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; 2.5 mm ² ; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/2022-2237/427-000

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Downloads

Documentation

Bid Text

2022-2291 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2022-2291 doc - Datei	2017 年4月28 日	doc 22.5 kB	Download
--------------------------	--------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2022-2291		URL	Download
------------------------	--	-----	----------

CAE data

EPLAN Data Portal 2022-2291		URL	Download
-----------------------------	--	-----	----------

WSCAD Universe 2022-2291		URL	Download
--------------------------	--	-----	----------

ZUKEN Portal 2022-2291		URL	Download
------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2022-2291 End and intermediate plate; 1 mm thick; gray		URL	Download
--------------------------------------------------------------------------------------------	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Product family

X-COM S

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.