




Data
Physical data

Width	1.5 mm / 0.059 inches
Height	76.7 mm / 3.02 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	43.5 mm / 1.713 inches
-------	------------------------

Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.121 MJ
Weight	4 g

Commercial data

Product Group	17 (TOP JOB Installation Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332287289
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Power distribution disconnect terminal block

Item no.: 781-623

1-conductor power distribution disconnect terminal block; 4 mm²; CAGE CLAMP®; 4,00 mm²; gray

www.wago.com/781-623

Item no.: 781-653

2-conductor power distribution disconnect terminal block; 4 mm²; CAGE CLAMP®; 4,00 mm²; gray

www.wago.com/781-653

Through terminal block

Item no.: 780-601

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



2-conductor through terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/780-601
Item no.: 780-602 2-conductor through terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/780-602
Item no.: 780-631 3-conductor through terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/780-631
Item no.: 780-654 3-conductor through terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/780-654
Item no.: 780-604 2-conductor through terminal block; 2.5 mm ² ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/780-604
Item no.: 780-993 3-conductor through terminal block; 2.5 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; light gray	www.wago.com/780-993
Item no.: 780-992 2-conductor through terminal block; 2.5 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; light gray	www.wago.com/780-992
Item no.: 780-651 3-conductor through terminal block; 2.5 mm ² ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/780-651
Item no.: 781-601 2-conductor through terminal block; 4 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/781-601
Item no.: 781-651 3-conductor through terminal block; 4 mm ² ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/781-651
Item no.: 781-604 2-conductor through terminal block; 4 mm ² ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/781-604
Item no.: 781-992 2-conductor through terminal block; 4 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; light gray	www.wago.com/781-992
Item no.: 781-993 3-conductor through terminal block; 4 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; light gray	www.wago.com/781-993
Item no.: 781-631 3-conductor through terminal block; 4 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/781-631
Shield terminal block	
Item no.: 780-640 3-conductor shield terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; white	www.wago.com/780-640
N-disconnect terminal block	
Item no.: 780-613	

Subject to changes. Please also observe the further product documentation!



1-conductor N-disconnect terminal block; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/780-613
Item no.: 781-613 1-conductor N-disconnect terminal block; 4 mm ² ; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/781-613
Item no.: 781-643 2-conductor N-disconnect terminal block; 4 mm ² ; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/781-643
Ground terminal block	
Item no.: 780-607 2-conductor ground terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/780-607
Item no.: 780-637 3-conductor ground terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/780-637
Item no.: 780-607/999-950 2-conductor ground terminal block; 2.5 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/780-607/999-950
Item no.: 780-637/999-950 3-conductor ground terminal block; 2.5 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; green-yellow	www.wago.com/780-637/999-950
Item no.: 781-607/999-950 2-conductor ground terminal block; 4 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/781-607/999-950
Item no.: 781-637 3-conductor ground terminal block; 4 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/781-637
Item no.: 781-607 2-conductor ground terminal block; 4 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/781-607
Item no.: 781-637/999-950 3-conductor ground terminal block; 4 mm ² ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/781-637/999-950

Downloads

Documentation

Bid Text

780-317 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
780-317 doc - Datei	2017 年4月28 日	doc 22.5 kB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Additional Information

pdf
2.3 MB Download

CAD/CAE-Data

CAD data

2D/3D Models 780-317 URL Download

CAE data

EPLAN Data Portal 780-317 URL Download

ZUKEN Portal 780-317 URL Download

WSCAD Universe 780-317 URL Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 780-317 URL Download
End and intermediate plate; 1.5 mm thick; orange

Installation Notes

Product family

TOPJOB Classic
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.