


Data sheet | Item number: 883-1244
Jumper; 4-way; unplated; silver-colored

www.wago.com/883-1244



Color:

Data
Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

Nominal voltage (III/3)	1000 V
Rated current	269 A
Current at conductor cross-section (max.) mm ²	290 A

Physical data

Width	98 mm / 3.858 inches
Depth	10 mm / 0.394 inches

Mechanical Data

Tightening torque	3.2 ... 3.7 Nm
-------------------	----------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	silver-colored
Weight	130.9 g

Commercial data

ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	10 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143940627
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



883-1244 X81 - Datei	xml 2.8 kB	Download
-------------------------	---------------	----------

883-1244 docx - Datei	docx 12.7 kB	Download
--------------------------	-----------------	----------

Additional Information	pdf 2.2 MB	Download
-------------------------------	---------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 883-1244 Jumper; 4-way; unplated; silver-colored	URL	Download
--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!