


EUROCARD

TE Internal #: 5650473-5 Eurocard Connectors, Plug, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 32 Column

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Plug Connector System: Board-to-Board Termination Post & Tail Length: 2.64 mm [.104 in] Number of Positions: 96 Centerline (Pitch): 2.54 mm [.1 in]

Features

TE

Product Type Features

Connector & Housing Type	Plug		
Connector System	Board-to-Board		
Connector & Contact Terminates To	Printed Circuit Board		
DIN Size	Standard		
DIN Level	II		
Configuration Features			
Number of Positions	96		
Number of Rows	3		
PCB Mount Orientation	Right Angle		
Number of Columns	32		
Number of Signal Positions	96		
Rows Loaded	А, В, С		
Electrical Characteristics			
Operating Voltage	250 VAC		

C For support call+1 800 522 6752

Eurocard Connectors, Plug, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 32 Column



Body Features

l+1 800 522 6752	07/29/2023 06
Circuit Application	Signal
Operation/Application	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Usage Conditions	
Row-to-Row Spacing	2.54 mm[.1 in]
PCB Thickness (Recommended)	1.57 mm[.062 in]
Connector Height	11.1 mm[.437 in]
Dimensions	
Centerline (Pitch)	2.54 mm[.1 in]
Housing Material	Polymer - GF
Housing Features	
Connector Mounting Type	Board Mount
PCB Mount Retention	Without
Panel Mount Feature	Without
PCB Mount Alignment	Without
Mating Alignment	With
Mating Retention	Without
Mating Alignment Type	Polarization
Mechanical Attachment	
Termination Post & Tail Length	2.64 mm[.104 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Termination Features	
Contact Current Rating (Max)	1.5 A
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material	Gold
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Type	Pin
PCB Contact Termination Area Plating Material Thickness	2.54 – 5.08 μm[100 – 200 μin]
Contact Features	
Primary Product Color	Gray

C For support call+1 800 522 6752

Eurocard Connectors, Plug, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 32 Column



Ind	lustrv	Stand	ards
	Goury	ocurra	

UL Flammability Rating

Packaging Features

Packaging Method

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

UL 94V-0

Box


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Eurocard Connectors, Plug, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 32 Column






Customers Also Bought

Eurocard Connectors, Plug, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 32 Column







TE Part #6-1437665-7 JC6-Q308-06=JC6 ASSEMBLY

Documents

Product Drawings ASSY, PIN, EUROCARD, TYPE C, LEAD-

English

ASSY, PIN, EUROCARD, TYPE C, LEAD-

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5650473-5_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5650473-5_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5650473-5_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

C For support call+1 800 522 6752

Eurocard Connectors, Plug, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 32 Column



Product SpecificationsApplication SpecificationEnglishApplication SpecificationEnglishProduct Environmental ComplianceProduct Compliance DocumentEnglishProduct Compliance DocumentEnglishProduct Compliance DocumentEnglish