



Insulated cross-connector, No. of poles: 3, Mounting type: Plug in, Width: 14.2 mm, Rated cross-section: 2.5 mm², Colour: Yellow

RAL: 1026

Business data



Technical data

Dimensions		
Length	4.5 mm	
Width	14.2 mm	
Pitch size	5 mm	
Ratings		
Voltage with partition, max.	800 V	
Voltage without partition, max.	800 V	
Rated current	24 A	
Rated cross-section	2.5 mm ²	
Contamination degree	3	
Connection data		
No. of poles	3	
Materials		
Material	Copper alloy	
Surface	Tin-plated	
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Mounting type	Plug in	
Insulation available	\checkmark	
Touch protection is available	\checkmark	
Number of bridged terminals	3	
Environmental Product Compliance		
REACH Candidate Substance Note	No	

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige






Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3574.2</u>	ZRKD 2,5/D5 BG	4044211059187	100 ST







	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	•	terminal, Tension-spring connector construction: 2.5 mm², Width:	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	•	terminal, Plug-in connection, Mo , Colour: Beige	ounting type: Mounting rail	rs 35/7.5,
i kad	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
KEMA	•	terminal, Tension-spring connec m ² , Width: 25.5 mm, Colour: Be	• • • •	n, Rated cross
ILEUR	Article number	Article name	GTIN (EAN)	Packaging unit
ILEUR	Article number	Article name ZST 2,5/5/1A/Q BG	GTIN (EAN) 4044211205249	
	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Be	4044211205249 ction, Mounting type: Plug ir ige	unit 50 ST
)()	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name	4044211205249 ction, Mounting type: Plug ir ige GTIN (EAN)	unit 50 ST n, Rated cross Packaging unit
	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Be	4044211205249 ction, Mounting type: Plug ir ige	unit 50 ST n, Rated cross Packaging
	<u>17485.2</u> Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name	4044211205249 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir	unit 50 ST n, Rated cross Packaging unit 10 ST
)()	<u>17485.2</u> Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec	4044211205249 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir	unit 50 ST n, Rated cross Packaging unit 10 ST
)()	<u>17485.2</u> Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Be	4044211205249 ction, Mounting type: Plug in ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug in ige	unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging
	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Be Article name	4044211205249 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205348 ction, Mounting type: Plug ir	unit 50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST
	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-through Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connect m ² , Width: 76.5 mm, Colour: Be Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring connect	4044211205249 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205348 ction, Mounting type: Plug ir	50 ST n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST



	35/7.5, Rated			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100
	•	terminal, Tension-spring connect cross-section: 2.5 mm², Width: 5	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100
	•	terminal, Tension-spring connec m², Width: 45.9 mm, Colour: Be	• • • • •	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST
<u>_</u>	•	terminal, Tension-spring connec m², Width: 51 mm, Colour: Beige Article name	• • • • •	n, Rated cross- Packaging unit
<u>_</u>	section: 2.5 m	m ² , Width: 51 mm, Colour: Beige	e	Packaging
<u>_</u>	section: 2.5 mi Article number <u>17490.2</u> Feed-through	m², Width: 51 mm, Colour: Beige Article name	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug ir	Packaging unit 25 ST
	section: 2.5 mi Article number <u>17490.2</u> Feed-through	m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring connect	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug ir	Packaging unit 25 ST
	section: 2.5 mi Article number <u>17490.2</u> Feed-through section: 2.5 mi	m², Width: 51 mm, Colour: Beige Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring connec m², Width: 5.1 mm, Colour: Beig	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug in ge	Packaging unit 25 ST n, Rated cross- Packaging
	section: 2.5 mi Article number <u>17490.2</u> Feed-through section: 2.5 mi Article number <u>3673.2</u> Feed-through	m², Width: 51 mm, Colour: Beige Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring connec m², Width: 5.1 mm, Colour: Beig Article name	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug in ge GTIN (EAN) 4044211177843 ction, Mounting type: Plug in	Packaging unit 25 ST n, Rated cross- Packaging unit 100
	section: 2.5 mi Article number <u>17490.2</u> Feed-through section: 2.5 mi Article number <u>3673.2</u> Feed-through section: 2.5 mi Article number	m², Width: 51 mm, Colour: Beign Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring connec m², Width: 5.1 mm, Colour: Beign Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring connect	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug in ge GTIN (EAN) 4044211177843 ction, Mounting type: Plug in	Packaging unit 25 ST n, Rated cross- Packaging unit 100
	section: 2.5 mi Article number <u>17490.2</u> Feed-through section: 2.5 mi Article number <u>3673.2</u> Feed-through section: 2.5 mi Article number	m², Width: 51 mm, Colour: Beige Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring connec m², Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring connec m², Width: 20.4 mm, Colour: Beige	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug in ge GTIN (EAN) 4044211177843 ction, Mounting type: Plug in ige	Packaging unit 25 ST n, Rated cross- Packaging unit 100 n, Rated cross- Packaging
	section: 2.5 mi Article number <u>17490.2</u> Feed-through section: 2.5 mi Article number <u>3673.2</u> Feed-through section: 2.5 mi Article number <u>17484.2</u> Feed-through	m², Width: 51 mm, Colour: Beige Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring connec m², Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring connec m², Width: 20.4 mm, Colour: Bei Article name	e GTIN (EAN) 4044211205294 ction, Mounting type: Plug in ge GTIN (EAN) 4044211177843 ction, Mounting type: Plug in ige GTIN (EAN) 4044211205232 ction, Mounting type: Plug in	Packaging unit 25 ST n, Rated cross- Packaging unit 100 n, Rated cross- Packaging unit 50 ST

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



nen: ••••nen	•	erminal, Plug-in connection, Mounting , Colour: Beige	g type: Mounting rail T	rs 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
B _R	-	terminal, Tension-spring connection, I m², Width: 10.2 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
0 03	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
rnr	•	erminal, Tension-spring connection, I m², Width: 15.3 mm, Colour: Beige	Mounting type: Plug ir	n, Rated cross-
EAC	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
KEMA	•	erminal, Tension-spring connection, I m², Width: 40.8 mm, Colour: Beige	Mounting type: Plug ir	
INCON	A 41 A 4			
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>17488.2</u>	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	
L EMA	17488.2 Feed-through 1		4044211205270	unit 25 ST
Kema Eur	17488.2 Feed-through 1	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I	4044211205270	unit 25 ST
	17488.2 Feed-through t section: 2.5 mr	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 61.2 mm, Colour: Beige	4044211205270 Mounting type: Plug ir	unit 25 ST h, Rated cross- Packaging
	17488.2 Feed-through t section: 2.5 mr Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
	17488.2 Feed-through t section: 2.5 mr Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG	4044211205270 Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
	17488.2Feed-through t section: 2.5 mrArticle number17492.2Feed-through t section: 2.5 mr	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 5.1 mm, Colour: Beige	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in	unit 25 ST a, Rated cross- Packaging unit 10 ST a, Rated cross- Packaging
	17488.2Feed-through t section: 2.5 mrArticle number17492.2Feed-through t section: 2.5 mrArticle number3672.2Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 5.1 mm, Colour: Beige Article name	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST a, Rated cross- Packaging unit 10 ST a, Rated cross- Packaging unit 100
	17488.2Feed-through t section: 2.5 mrArticle number17492.2Feed-through t section: 2.5 mrArticle number3672.2Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, I m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG	4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST a, Rated cross- Packaging unit 10 ST a, Rated cross- Packaging unit 100



	Ex feed-through terminal for direct mount, ATEX-certified, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 25 mm ² , Width: 51 mm, Colour: Beige			
S DER D	Article number	Article name	GTIN (EAN)	Packaging unit
	1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST
	•	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	0	0 71
	Article number	Article name	GTIN (EAN)	Packaging unit
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
	•	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
	Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Black-yellow			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
	•	terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
		terminal for direct mount, Tension-spr ace, Rated cross-section: 2.5 mm ² , W		
	Article number	Article name	GTIN (EAN)	Packaging unit
	3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100











##INVERSE##CONTA-CONNECT



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3610.2	ZTRK 2,5/3A/OT BG	4044211059743	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17037.2	ZIKD 2,5/L-L-N BG	4044211155742	50 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3564.2	ZRKD 2,5/N/DU	4044211059088	100 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

We	Article number	Article name	GTIN (EAN)	Packaging unit
	3566.2	ZRKD 2,5/N/PE	4044211059101	100 ST



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3575.2	ZRKD 2,5/ZBA BG	4044211059194	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

<u>i a</u> us	Article number	Article name	GTIN (EAN)	Packaging unit
	3591.2	ZIKD 2,5/SV BG	4044211059484	50



##INVERSE##CONTA-CONNECT

10-0-1		el terminal ATEX-certified, Tensior S 35/7.5, Rated cross-section: 2.		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	1707.2	ZRKD 2,5 Ex BG	4044211110949	100
40 0 ×		erminal, Tension-spring connectio cross-section: 2.5 mm², Width: 5.1	••••	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3562.2	ZRKD 2,5 BG	4044211151836	100
100		erminal, Tension-spring connectio cross-section: 2.5 mm², Width: 5.1	C F .	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3563.2	ZRKD 2,5/SV BG	4044211059064	100
10 0 ×		erminal, Tension-spring connectio cross-section: 2.5 mm², Width: 5.1	C F .	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3565.2	ZRKD 2,5/DU/PE	4044211059095	100 ST
	Double-level te	erminal, Tension-spring connectio	n, Mounting type: Mountir	ng rail TS
100	35/7.5, Rated	cross-section: 2.5 mm ² , Width: 5.1	1 mm, Colour: Beige	
000	35/7.5, Rated Article number	cross-section: 2.5 mm², Width: 5.1 Article name	1 mm, Colour: Beige GTIN (EAN)	Packaging unit
				Packaging
	Article number 3576.2 Double-level te	Article name	GTIN (EAN) 4044211059217 n, Mounting type: Mountir	Packaging unit 100
	Article number 3576.2 Double-level te	Article name ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connectio	GTIN (EAN) 4044211059217 n, Mounting type: Mountir	Packaging unit 100

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Jos a	Article number	Article name	GTIN (EAN)	Packaging unit
	3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:		0 71
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
	•	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	0 11	C C
Mar March	Article number	Article name	GTIN (EAN)	Packaging unit
	3501.2 Feed-through	ZRK 2,5/3A BG terminal, Tension-spring conne	4044211151690 ction, Mounting type: Mount	100
ERC	Feed-through		ction, Mounting type: Mount	100 ing rail TS
EAC	Feed-through 35/7.5, Rated	terminal, Tension-spring conne cross-section: 2.5 mm ² , Width:	ction, Mounting type: Mount 5.1 mm, Colour: Beige	100 ing rail TS Packaging
ERC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section:	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	100 ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging
ERC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN)	100 ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging unit
ERIC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section:	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	100 ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging
ERC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	100 ing rail TS Packaging unit 100 inting type: olour: Beige Packaging unit 100 inting type: olour: Beige
ERC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	100 ing rail TS Packaging unit 100 Inting type: olour: Beige Packaging unit 100

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



##INVERSE##CONTA-CONNECT

	0	terminal, Tension-spring conne cross-section: 2.5 mm ² , Width:	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3500.2	ZRK 2,5/2A BG	4044211151683	100
		terminal, Tension-spring conne cross-section: 2.5 mm², Width:		ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100
	0	terminal, Tension-spring conne cross-section: 2.5 mm², Width:	0,11	ing rail TS
				Packaging
THE	Article number	Article name	GTIN (EAN)	unit
	Article number	Article name ZSRK 2,5/2A/15 BG	GTIN (EAN) 4044211151904	
	3585.2 Ex feed-throug Mounting rail T	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type:
	3585.2 Ex feed-throug Mounting rail T Article number	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN)	unit 100 Inting type: olour: Beige Packaging unit
	3585.2 Ex feed-throug Mounting rail T	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten IS 35/7.5, Rated cross-section:	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type: olour: Beige Packaging
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou	unit 100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou	unit 100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section:	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463 ction, Mounting type: Mount	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section: Article name ZRK 2,5/4A Ex BG terminal, Tension-spring conne	4044211151904 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463 ction, Mounting type: Mount	unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3502.2	ZRK 2,5/4A BG	4044211151713	100



Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100



and the		Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour:Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit	
	3572.2	ZRKD 2,5/D3 BG	4044211059163	100	